United States
Department of
Agriculture

Forest Service




Southeastern Forest Experiment Station

Resource Bulletin SE-74

Forest Statistics for the Northern Coastal Plain of North Carolina, 1984

Edgar L. Davenport



August 1984

Southeastern Forest Experiment Station 200 Weaver Blvd. Asheville, North Carolina 28804

Forest Statistics for the

Northern Coastal Plain of North Carolina, 1984

Edgar L. Davenport, Forestry Technician Forest Inventory and Analysis Asheville, North Carolina

Foreword

This report highlights the principal findings of the fifth forest inventory in the Northern Coastal Plain of North Carolina. Fieldwork began in June 1983 and was completed in December 1983. Four previous surveys, completed in 1937, 1955, 1963, and 1974, provide statistics for measuring changes and trends over the past 46 years. The primary emphasis in this report is on the changes and trends since 1974. Previously reported figures have been adjusted to provide the best estimate of change.

Periodic surveys of the forest resource are authorized by the Forest and Rangeland Renewable Resources Research Act of 1978. These surveys are a continuing, nationwide undertaking by the Regional Experiment Stations of the Forest Service, USDA. In Florida, Georgia, North Carolina, South Carolina, and Virginia, these surveys are administered by the Forest Inventory and Analysis (Forest Survey) Research Work Unit at the Southeastern Forest Experiment Station, with headquarters in Asheville, N.C. The primary objective of the survey is to periodically inventory and evaluate all forest and related resources. These multiresource data help provide a basis for formulating forest policies and programs and

for the orderly development and use of the resources. This report deals only with the extent and condition of forest lands, associated timber volumes, and rates of timber growth and removals.

The 23-county area covered by this report is one of four survey units in North Carolina. Similar reports for the other two units will be issued as the Statewide inventory progresses. When completed, these inventories will provide updated statistics on the timber resource for all of North Carolina.

The Southeastern Station gratefully acknowledges the cooperation and assistance provided by the North Carolina Department of Natural Resources and Community Development in collecting field data. Appreciation is also expressed for the excellent cooperation of other public agencies, forest industry, and other private landowners in providing information and access to the sample locations.

JOE P. McCLURE

Au P. Mc Clave

Project Leader

Contents

	<u>Page</u>		Page
Since 1974 in the Northern Coastal Plain of North Carolina How the Inventory Is Made Reliability of the Data	1	13. Area of commercial forest land, by stand-age and broad management classes, public ownerships	23
Definitions of Terms	•• 5	14. Area of commercial forest land, by stand-age and broad management	
County Tables	12	classes, forest industry	23
1. Area, by county and land class		15. Area of commercial forest land, by stand-age and broad management	
2. Area of commercial forest land, by county and ownership class		classes, other private ownerships	24
3. Area of commercial forest land, by county and forest-type group		16. Area of commercial forest land, by broad management and stand-volume classes	
4. Area of commercial forest land, by county and stand-size class		17. Volume of growing stock on com- mercial forest land, by broad manage- ment class, species group, and stand-	
5. Area of commercial forest land, by county and site class		age class	. 25
6. Area of commercial forest land, by county and stocking classes of growing-stock trees	. 17	18. Net annual growth of growing stock on commercial forest land, by broad management class, species group, and stand-age class	
7. Volume of sawtimber and growing stock on commercial forest land, by county and species group		19. Annual removals of growing stock on commercial forest land, by broad management class, species group, and stand-age class	27
8. Net annual growth of sawtimber an growing stock on commercial forest land, by county and species group9. Annual removals of sawtimber and		20. Merchantable volume of all live trees and growing stock on commercial forest land, by forest-type group and species group	. 28
growing stock on commercial forest land, by county and species group	• 20	21. Area of commercial forest land treated or disturbed annually, by	
Unit Tables		treatment or disturbance and owner- ship class	29
10. Area of commercial forest land, to forest type and ownership class		22. Area of commercial forest land treated or disturbed annually and	
II. Area of commercial forest land, be ownership and stocking classes of growing-stock trees		retained in commercial forest land, by treatment or disturbance and broad management class	 29
12. Area of commercial forest land, to stand-age and broad management classes, all ownerships		23. Area of commercial forest land regenerated annually, by type of regeneration and broad management class	

<u> </u>	age	<u>r</u> .	age
24. Area of commercial forest land, by treatment opportunity and broad management classes	30	36. Volume of sawtimber on commercial forest land, by species, size class, and log grade	40
25. Area of commercial forest land, by treatment opportunity and ownership classes	31	37. Cubic volume in the merchantable saw-log portion of sawtimber trees, by species and diameter class	41
26. Merchantable volume of all live trees and growing stock on commercial forest land, by ownership class and	32	38. Total volume of all live trees on commercial forest land, by species and diameter class	42
27. Volume of sawtimber on commerical forest land, by ownership class and	32	39. Green weight of forest biomass on commercial forest land, by species and diameter class	43
28. Net annual growth and removals of growing stock on commercial forest land,		40. Net annual growth and removals of all live timber and growing stock on commercial forest land, by species	44
by ownership class and species group 29. Net annual growth and removals of sawtimber on commercial forest land, by ownership class and species group	33	41. Net annual growth and removals of sawtimber on commercial forest land, by species	45
30. Volume of timber on commercial forest land, by class and species group	34	42. Annual removals of growing stock on commercial forest land, by species and diameter class	46
31. Number of all live trees on commercial forest land, by species and diameter class	35	43. Mortality of all live timber, growing stock, and sawtimber on commercial forest land, by species	4 7
32. Number of growing-stock trees on commercial forest land, by species and diameter class	36	44. Change in number of all live trees on commercial forest land, by species group, survey completion date, and diameter class	48
33. Merchantable volume of all live trees on commercial forest land, by species and diameter class	37	45. Land area, by class, major forest type, and survey completion date	49
34. Volume of growing stock on commercial forest land, by species and diameter class	38	46. Volume of sawtimber, growing stock, and all live timber on commercial forest land, by species group, survey completion date, and diameter class	50
35. Volume of sawtimber on commercial forest land, by species and diameter class	39		

Since 1974 in the Northern Coastal Plain of North Carolina

- area of commercial forest land decreased by 349,000 acres, or by 8 percent. Although 34,000 acres of new commercial forest were added, more than 382,000 acres were diverted to other land uses. Of the acreage diverted, 76 percent was to agriculture, 15 percent to urban and other nonforest uses and 9 percent to water or noncommercial forest land. Commercial forests now occupy almost 3.8 million acres, or 56 percent of the land area in the 23 counties making up the Northern Coastal Plain.
- · area of commercial forest land held by nonindustrial private forest (NIPF) landowners declined by almost 14 percent, from over 3.0 million acres to less than 2.6 million acres. Within the NIPF or other private sector, acreage of commercial forest land owned by farmers and other private individuals dropped, while that of corporations (other than forest industry) increased substantially. Commercial forest area in farm ownership decreased from 1.7 to 1.1 million acres, while that of private individuals decreased by 12 percent to 933,000 acres. Other corporations increased their holdings by 92 percent to 496,000 acres. The area of commercial forest in public ownership increased by 33 percent and now totals 238,000 acres. Acreage under forest industry control increased by 4 percent to 956,000 acres.
- · acreage of commercial forest classified as a pine type declined by 162,000 acres, or by almost 10 percent. The acreage of pine type decreased 218,000 acres, or by 22 percent on NIPF land. Across all ownerships, area classified as pond pine type declined by 45 percent, from 529,000 to 290,000 acres, accounting for most of the net pine-type loss. Acreage of loblolly pine. the primary type in this region, increased by almost 8 percent to 1.1 million acres. Pine types now occupy nearly 1.5 million acres. Acreage of oak-pine type decreased from 607,000 to 481,000 acres, or by 21 percent. Acreage in hardwood types has changed little since 1974, remaining at 1.8 million acres.
- almost 65,000 acres annually were harvested and retained in commercial forest.

 The annual rate of harvest has increased by 12 percent on other private land, but declined by 5,000 acres annually, or by 19

- percent on forest industry land. Across all ownerships, the annual rate of harvest has remained about the same. Pine stands account for nearly 50 percent of the area harvested each year. About 10,000 acres, or 16 percent of the area harvested annually, were oak-pine type and 22,000 acres, or 34 percent, were hardwood types. In addition to final harvests, partial cutting (including high grading, selective cutting, commercial thinning, and other stand improvement) occurred on 27,000 acres annually. On the average, substantial volumes of timber were removed from 92,000 acres each year. This average is 22 percent lower than the one for the 1963 to 1974 period.
- an average of 26,000 acres per year have been artificially regenerated and are adequately stocked with suitable trees. Across all ownership classes, the rate of planting averaged about 2,000 acres more per year than during the previous survey period. All of this increase was on NIPF and public land. The rate of planting dropped by 3,000 acres annually on forest industry land, a direct result of decreased rates of stand harvest. Still, almost three-fourths of all planting activity is on forest industry land. The rate of artificial regeneration has increased nearly fourfold on NIPF land, to 7,000 acres annually. Across all ownerships, an additional 27,000 acres per year were successfully regenerated through natural means. In total, 28,000 acres annually were regenerated to a pine forest type, about 87 percent of the acreage of pine type harvested each vear.
- number of all live vellow pine trees on other private land declined substantially in all diameter classes from the 2-inch through the 16-inch class. The severity of this drop ranged from 29 percent in the 2-inch class to 14 percent in the 16-inch diameter class. Across all diameters, pines on other private land declined by 107 million stems, or by 25 percent. On forest industry land, large increases in number of pines were recorded in the 4- through 10-inch diameter classes, a result of developing pine plantations on this ownership. Number of pines in the 6and 8-inch diameter classes more than doubled on forest industry land during the 10-year period. Across all ownerships, the number of all live pines declined through the 16-inch class, except in the 6- and 8-inch categories where industry gains compensated for losses on other private land.

Declines in number of hardwoods also occurred in the smaller sizes; drops ranged from 27 percent in the 2-inch class to 6 percent in the 10-inch diameter class.

- average basal area of all live trees 5.0 inches d.b.h. and larger has increased from 73 to 83 square feet per acre of commercial forest land. Increases in basal area have occurred across most major forest types. Average merchantable volume per acre also increased correspondingly, rising from 1,583 to 1,814 cubic feet per acre of commercial forest land. Hardwoods accounted for three-fourths of this increase.
- volume of softwood growing stock remained about the same and now totals 2.8 billion cubic feet. Softwood growing-stock volume increased by 34 percent to almost 631 million cubic feet on forest industry land and by 49 percent to 212 million cubic feet on public land. Together, these two ownerships almost offset an 11 percent loss on NIPF land. Volume of loblolly pine increased by 98 million cubic feet, or by 5 percent, while volume of pond pine decreased by 118 million cubic feet, or by 23 percent. Volume of softwood sawtimber decreased by 5 percent to almost 8.3 billion board feet on NIPF land and declined by 8 percent to 1.5 billion board feet on forest industry land. On public land, the board-foot volume of softwood sawtimber rose from 0.5 to 0.8 billion board feet.
- volume of hardwood growing stock increased by 9 percent, from 3.3 to 3.6 billion cubic feet. Increases occurred in the 12-inch and larger diameter classes, while volume in the 6- through 10-inch diameter classes declined by almost 60 million cubic feet. Increases in volume occurred in most hardwood species, but the largest was in soft maples, which increased by 138 million cubic feet, or by 36 percent. Increases in hardwood growingstock volume were recorded for all three major ownership groups. The current inventory of hardwood growing stock includes almost 11 billion board feet of sawtimber, an increase of 19 percent.

In 1983

• net annual growth of all growing stock totaled 270 million cubic feet and included

- almost 1.1 billion board feet of sawtimber. Net annual growth of softwood growing stock totaled over 129 million cubic feet. an increase of 13 percent. On forest industry land, net annual growth of softwood growing stock increased by 104 percent to almost 47 million cubic feet, while on NIPF land, softwood net annual growth decreased by 12 percent to 75 million cubic feet per year. Net annual growth of hardwood growing stock totaled almost 141 million cubic feet, 21 percent more than in 1973. Increases in annual growth of hardwood occurred across all ownerships. More than 79 percent of the hardwood growth occurred on NIPF land, 16 percent on forest industry, and 5 percent on public land.
- annual removals of growing stock totaled 214 million cubic feet and included 836 million board feet of sawtimber. Softwood removals declined by 5 percent, from 137 to 129 million cubic feet since 1973. On forest industry land, softwood removals decreased from 54 to 31 million cubic feet, while on NIPF land, softwood removals increased by 20 percent to 96 million cubic feet per year. Pines provide a disproportionate share of the removals. They constitute 39 percent of the growing-stock inventory and 45 percent of the net growth, yet provide almost 58 percent of the removals. Removals of hardwood growing stock were down by 8 percent compared with the previous survey. Most of this decrease occurred on forest industry land where annual hardwood removals declined by 30 percent to 16 million cubic feet. Annual removals of hardwood growing stock remained at 67 million cubic feet on NIPF land.
- mortality of growing stock totaled 40 million cubic feet and included 105 million board feet of sawtimber. Mortality of softwood increased by 6 million cubic feet and reduced gross growth by 17 percent. Softwood mortality now totals almost 27 million cubic feet. Approximately 55 percent of the current mortality of softwood can be attributed to insects, 22 percent to suppression, 11 percent to diseases, and 12 percent to other natural agents. Across all ownerships, mortality of hardwood was down by 18 percent and totaled 13 million cubic feet.

 Mortality reduced the gross growth of hardwoods by 9 percent.

How the Inventory Is Made

The method of the inventory is a sampling procedure designed to provide reliable statistics primarily at the State and Survey Unit levels. Individual county statistics are presented so that any combination of counties may be added together until a total is large enough to meet the desired degree of reliability. Procedures were as follows:

- 1. Initial estimates of forest and nonforest areas were based on the classification of 21,909 sample clusters systematically spaced on the latest aerial photographs available. A subsample of 2,543 of the 16-point clusters was ground checked, and a linear regression was fitted to the data to develop the relationship between the photo and ground classification of the subsample. This procedure provides a means for adjusting the initial estimates of area for change in land use since date of photography and for photomisclassifications.
- 2. Estimates of timber volume and forest classifications were based on measurements recorded at 1,396 ground sample locations systematically distributed within the commercial forest land. The plot design at each location was based on a cluster of 10 points. In most cases, variable plots, using a basalarea factor of 37.5 square feet per acre, were systematically spaced within a single forest condition at 5 of the 10 cluster points. Trees less than 5 inches d.b.h. were tallied on a fixed-radius plot around each point center.
- 3. Equations prepared from detailed measurements collected on standing trees in this Unit, and similar measurements taken throughout the Southeast, were used to compute the volume of individual tally trees. A mirror caliper and sectional aluminum poles were used to obtain the additional measurements on these standing trees required to construct volume equations.

- 4. Felled trees were measured at 33 active cutting operations. These data will supplement the standing-tree volume data and be used to generate utilization factors for product and species groups. Forest biomass estimates were made using equations developed by the Utilization of Southern Timber Research Work Unit of the Southeastern Forest Experiment Station in Athens, Ga.
- 5. Estimates of growth, removals, and mortality were determined from the remeasurement of 1,467 permanent sample plots established in the fourth survey.
- 6. Ownership information was collected from correspondence, public records, and local contacts. In those counties where the sample missed a particular ownership class, temporary sample plots were added on these lands.
- 7. All field data were sent to Asheville for editing and were entered into disk and magnetic-tape storage for processing. Final estimates were based on statistical summaries of the data.

Reliability of the Data

Statistical analysis of these data indicates the following sampling errors in terms of one standard error (two times out of three):

Per million acres of	
commercial forest land	1.00
Per billion cubic feet of	
growing stock	5.96
Per billion cubic feet of	
net annual growth	1.12
Per billion cubic feet of	
annual removals	2.58

Sampling errors for county and unit totals, a in terms of one standard error, Northern Coastal Plain of North Carolina, 1984

County	Commercial	Cubic-foot v	volume of gro	wing stock
Country	area	Inventory	Growth	Removals
		Sampling	error ^b	
Beaufort	2.10	7.29	7.07	17.71
Bertie	1.17	7.64	6.48	22.22
Camden	4.07	14.61	13.09	37.65
Carteret	2.25	11.50	10.99	25.80
Chowan	3.74	24.39	19.09	31.87
Craven	1.49	8.02	8.69	20.79
Currituck	4.34	14.03	14.00	55.49
Dare	4.68	10.55	8.87	47.76
Edgecombe	2.88	11.76	9.36	19.90
Gates	1.98	11.66	9.72	40.60
Halifax	1.39	8.73	7.42	21.69
Hertford	1.63	14.02	12.33	29.38
Hyde	3.05	11.39	10.69	23.23
Martin	1.74	9.87	9.13	25.00
Nash	1.87	10.28	9.00	24.45
Northampton	1.66	9.89	8.51	25.20
Pamlico	3.56	14.50	13.56	27.08
Pasquotank	6.43	21.89	18.97	27.55
Perquimans	3.65	15.40	12.00	32.33
Pitt	2.43	10.53	8.62	23.30
Tyrrell	3.01	10.99	10.87	26.30
Washington	3.84	16.04	16.53	30.19
Wilson	2.77	13.91	14.68	26.35
Total	0.52	2.35	2.14	5.58

^aSampling error of breakdowns of county and unit totals may be computed with the following formula:

$$E = \frac{\text{(SE) } \sqrt{\text{(specified volume or area)}}}{\sqrt{\text{(volume or area total in question)}}}$$

Where: E = Sampling error of the volume or area total in question.

SE = Specified sampling error in table.

bBy random-sampling formula (in percent).

Definitions of Terms

All live trees. All trees 1.0 inch d.b.h. and larger which are not dead at the time of inventory.

All live-tree volume. Volume (cubic feet) of wood above the ground line in all live trees 1.0 inch d.b.h. and larger. The volume in twigs and lateral limbs smaller than 0.5 inch in diameter at the point of occurrence on sapling-size trees is included, but is excluded on poletimber and sawtimber-size trees.

Allowable cut. The volume of timber that could be cut on commercial forest land during a given period under specified management plans aimed at sustained production of timber products.

Basal area. The area in square feet of the cross section at breast height of a single tree or of all the trees in a stand, usually expressed as square feet of basal area per acre.

Biomass. The aboveground green weight of solid wood and bark in all live trees 1.0 inch d.b.h. and larger from the ground to the tip of the tree. All foliage is excluded. The weight of wood and bark in lateral limbs, secondary limbs, and twigs under 0.5 inch in diameter at the point of occurrence on sapling-size trees is included, but is excluded on poletimber and sawtimber-size trees.

Bole. That portion of a tree between a l-foot stump and a 4-inch top diameter outside bark (d.o.b.) in trees 5.0 inches d.b.h. and larger.

Broad management class. A classification of commercial forest land based on forest type and stand origin.

Pine plantation. Stands that have been artificially regenerated by planting or direct seeding and with a southern yellow pine, white pine-hemlock, or other softwood forest type.

Natural pine. Stands that have not been artificially regenerated and with a

southern yellow pine, white pine-hemlock, or other softwood forest type.

Oak-pine. Stands with a forest type of oak-pine.

Upland hardwood. Stands with a forest type of oak-hickory, chestnut oak, southern scrub oak, or maple-beech-birch.

Lowland hardwood. Stands with a forest type of oak-gum-cypress, elm-ash-cotton-wood, palm, or other tropical.

Bureau of Land Management lands. Federal lands administered by the Bureau of Land Management.

Census water. Streams, sloughs, estuaries, canals, and other moving bodies of water one-eighth of a statute mile in width and greater, and lakes, reservoirs, ponds, and other permanent bodies of water 40 acres in area and greater.

Commercial forest land. Land at least 16.7 percent stocked by forest trees of any size, or formerly having had such tree cover, not currently developed for nonforest use, capable of producing 20 cubic feet of industrial wood per acre per year and not withdrawn from timber utilization by legislative action.

Commercial species. Tree species conventionally regarded as being able to develop into trees suitable for the manufacture of industrial timber products. Species that typically exhibit small size, poor form, or inferior quality are excluded.

Cropland. Land under cultivation within the past 24 months, including orchards and land in soil-improving crops, but excluding land cultivated in developing improved pasture. Also includes idle farmland.

D.b.h. Tree diameter (outside bark) at breast height (4.5 feet above the ground).

Diameter class. A classification of trees based on tree d.b.h. Two-inch diameter classes are commonly used by Forest Inventory and Analysis, with the even inch as the

approximate midpoint for a class. For example, the 6-inch class includes trees 5.0 through 6.9 inches d.b.h., inclusive.

Farm. Land on which agricultural operations are being conducted and sale of agricultural products totaled \$1,000 or more during the year.

Farm operator. A person who operates a farm, either doing the work himself or directly supervising the work.

Farmer-owned land (see: Other private land).

Forest industry land. Land owned by companies or individuals operating wood-using plants.

Forest industry leased land. Land which are leased or under management contracts to forest industry from other owners for periods of one forest rotation or longer. Land under cutting contracts are not included.

Forest land. Land at least 16.7 percent stocked by forest trees of any size, or formerly having had such tree cover, and not currently developed for nonforest use.

Forest type. A classification of forest land based on the species forming a plurality of live-tree stocking.

White pine-hemlock. Forests in which eastern white pine, red pine, or jack pine, singly or in combination, constitute a plurality of the stocking. (Common associates include hemlock, birch, and maple.)

Spruce-fir. Forests in which spruce or true firs, singly or in combination, constitute a plurality of the stocking. (Common associates include maple, birch, and hemlock.)

Longleaf-slash pine. Forests in which long-leaf or slash pine, singly or in combination, constitute a plurality of the stocking. (Common associates include oak, hickory, and gum.)

Loblolly-shortleaf pine. Forests in which loblolly pine, shortleaf pine, or other southern yellow pines, except longleaf or slash pine, singly or in combination, con-

stitute a plurality of the stocking. (Common associates include oak, hickory, and gum.)

Oak-pine. Forests in which hardwoods (usually upland oaks) constitute a plurality of the stocking but in which pines account for 25 to 50 percent of the stocking. (Common associates include gum, hickory, and yellow-poplar.)

Oak-hickory. Forests in which upland oaks or hickory, singly or in combination, constitute a plurality of the stocking, except where pines account for 25 to 50 percent, in which case the stand would be classified oak-pine. (Common associates include yellow-poplar, elm, maple, and black walnut.)

Oak-gum-cypress. Bottom-land forests in which tupelo, blackgum, sweetgum, oaks, or southern cypress, singly or in combination, constitute a plurality of the stocking, except where pines account for 25 to 50 percent, in which case the stand would be classified oak-pine. (Common associates include cottonwood, willow, ash, elm, hackberry, and maple.)

Elm-ash-cottonwood. Forests in which elm, ash, or cottonwood, singly or in combination, constitute a plurality of the stocking. (Common associates include willow, sycamore, beech, and maple.)

Maple-beech-birch. Forests in which maple, beech, or yellow birch, singly or in combination, constitute a plurality of the stocking. (Common associates include hemlock, elm, basswood, and white pine.)

Palm, other tropical. Forests in which palms and other tropicals constitute a pluralty of the stocking.

Gross growth. Annual increase in merchantable volume of trees in the absence of cutting and mortality. (Gross growth includes survivor growth, ingrowth, growth on ingrowth, growth on removals prior to removal, and growth on mortality prior to death.)

Growing-stock trees. Live sawtimber-size trees of commercial species containing at least a 12-foot log, or two noncontiguous

saw logs each 8 feet or longer, meeting minimum grade requirements (hardwoods must qualify as either a log grade of 3 or 4; softwoods must qualify as a log grade 3) with at least one-third of the gross board-foot volume (International 1/4-inch rule) between a l-foot stump and the minimum saw-log top being sound, or a live tree below sawtimber size that will prospectively qualify under the above standards.

Desirable tree. A tree that qualifies as growing stock and has no serious defects in quality limiting present or prospective use; is of relatively high vigor (30 percent or more live crown ratio); is compatible with the site and physiographic class; has a total board-foot loss not to exceed 15 percent in softwoods or 25 percent in hardwoods as a result of severe sweep, crook, or lean; and has a relatively clear bole.

Acceptable tree. A tree that qualifies as growing stock but does not meet the minimum requirements to qualify as a desirable tree. Included are sawtimber-size trees that do not contain a 12-foot saw log because of excessive, natural taper in the butt log, but have the potential to produce a 12-foot saw log as diameter increases.

Growing-stock volume. Volume (cubic feet) of solid wood in growing-stock trees 5.0 inches d.b.h. and larger, from a 1-foot stump to a minimum 4.0-inch top diameter, outside bark, on the central stem. Volume of solid wood in primary forks from the point of occurrence to a minimum 4.0-inch top diameter outside bark is included.

Hardwoods. Angiosperms; dicotyledonous trees (including all palm species which are monocotyledonous), usually broadleaf and deciduous.

Soft hardwoods. Soft-textured hardwoods such as boxelder, red and silver maples, hackberry, loblolly-bay, sweetgum, yellow-poplar, magnolia, sweetbay, water tupelo, blackgum, sycamore, cottonwood, black cherry, willow, basswood, and elm.

Hard hardwoods. Hard-textured hardwoods such as sugar maple, birch, hickory, dog-

wood, persimmon (forest grown), black locust, beech, ash, honeylocust, holly, black walnut, mulberry, and all commercial oaks.

Idle farmland. Land including former cropland, orchard, improved pasture, and farm sites not tended within the past 2 years, and currently less than 16.7 percent stocked with live trees.

Improved pasture. Land currently improved for grazing by cultivation, seeding, irrigation, or clearing of trees or brush.

Indian land. All lands held in trust by the United States for individual Indians or tribes, or all lands, titles to which are held by individual Indians or tribes, subject to Federal restrictions against alienation.

Industrial wood. All roundwood products except fuelwood.

Ingrowth. The number or net volume of trees that grow large enough during a specified year to qualify as saplings, poletimber, or sawtimber.

Inhibiting vegetation. Cover sufficiently dense to prevent the establishment of tree seedlings.

Land area. The area of dry land and land temporarily or partly covered by water such as marshes, swamps, and river flood plains (omitting tidal flats below mean high tide), streams, sloughs, estuaries, and canals less than one-eighth of a statute mile in width, and lakes, reservoirs, and ponds less than 40 acres in area.

Log grade. A classification of logs based on external characteristics as indicators of quality or value.

Logging residues. The unused merchantable portion of growing-stock trees cut or destroyed during logging operations.

Logging slash. The unmerchantable portion of growing-stock trees (including saplings) plus all cull trees 1.0 inch d.b.h. and larger cut or destroyed during logging operations and not used.

Manageable stand. Commercial forest land at least 60 percent stocked with growing-stock trees that can be featured together under a management scheme.

Merchantable portion. That portion of all live trees 5.0 inches d.b.h. and larger between a 1-foot stump and a minimum 4.0-inch top diameter outside bark on the central stem. That portion of primary forks from the point of occurrence to a minimum 4.0-inch top diameter outside bark is included.

Merchantable volume. Solid-wood volume in merchantable portion of all live trees.

Miscellaneous Federal land. Federal land other than National Forests, land administered by the Bureau of Land Management, and land administered by the Bureau of Indian Affairs.

Miscellaneous private land (see: Other private land).

Mortality. The merchantable volume in trees that have died from natural causes during a specified period.

National Forest land. Federal land that has been legally designated as National Forests or purchase units, and other land under the administration of the Forest Service, including experimental areas and Bankhead-Jones Title III land.

Net annual growth. The net change in merchantable volume for a specific year in the absence of cutting (gross growth minus mortality for that specified year.)

Net volume. Gross volume of wood less deductions for rot, sweep, or other defect affecting use for timber products.

Noncommercial forest land. Forest land not considered commercial. Includes both unproductive forest land and productive-reserved forest land.

Noncommercial species. Tree species of typically small size, poor form, or inferior quality which normally do not develop into trees suitable for industrial wood products.

Nonforest land. Land that has never supported forests and land formerly forested where timber production is precluded by development for other uses.

Nonindustrial private forest (NIPF) land (see: Other private land).

Nonstocked forest land. Commercial forest land less than 16.7 percent stocked with growing-stock trees.

Other private land. Privately owned land excluding forest industry land or forest industry leased land. Also referred to as nonindustrial private forest (NIPF) land.

Farmer-owned land. Owned by farm operators excluding incorporated farm owner-ships.

Other individual land. Owned by individuals other than farm operators.

Other corporate land. Owned by corporations, including incorporated farm ownerships.

Other removals. The growing-stock volume of trees removed from the inventory by cultural operations such as timber stand improvement, land clearing, and other changes in land use that result in the removal of the trees from the commercial forest.

Plant residues. Wood material generated in the production of timber products at primary manufacturing plants.

Coarse residues. Material, such as slabs, edgings, trim, veneer cores and ends, which is suitable for chipping.

Fine residues. Material, such as sawdust, shavings, and veneer chippings, which is not suitable for chipping.

Plant byproducts. Residues (coarse or fine) utilized in the further manufacture of industrial products or for consumer use, or utilized as fuel.

Unused plant residues. Residues (coarse or fine) that are not used for any product, including fuel.

Poletimber-size trees. All live trees at least 5.0 inches d.b.h. but smaller than sawtimber size.

Productive-reserved forest land. Forest land sufficiently productive to qualify as commercial forest land, but withdrawn from timber utilization through statute or administrative designation.

Quality class. A classification of sawtimber volume by log or tree grades.

Rangeland. Land on which the natural vegetation is predominantly native grasses, grasslike plants, forbs, or shrubs valuable for forage, not qualifying as commercial forest and not developed for another land use. Rangeland includes natural grassland and savannah.

Rotten trees. Live trees of commercial species that do not contain at least one 12-foot saw log, or two noncontiguous saw logs, each 8 feet or longer, now or prospectively, primarily because of rot or missing sections, and with less than one-third of the gross board-foot tree volume in sound material.

Rough trees. Live trees of commercial species that do not contain at least one 12-foot saw log, or two noncontiguous saw logs, each 8 feet or longer, now or prospectively, primarily because of roughness, poor form, splits, and cracks, and with less than one-third of the gross board-foot tree volume in sound material; and all live trees of noncommercial species.

Roundwood (roundwood logs). Logs, bolts, or other round sections cut from trees for industrial or consumer uses.

Roundwood chipped. Any timber cut primarily for pulpwood, delivered to nonpulpmills, chipped, and then sold to pulpmills as residues, including chipped tops, jump sections, whole trees and pulpwood sticks.

Roundwood products. Any primary product such as lumber, poles, pilings, pulp, or fuelwood which is produced from roundwood.

Salvable dead trees. Standing or down dead trees considered utilizable by Forest Inventory and Analysis standards.

Saplings. Live trees 1.0 to 5.0 inches d.b.h.

Saw log. A log meeting minimum standards of diameter, length, and defect, including logs at least 8 feet long, sound and straight, and with a minimum diameter inside bark for softwoods of 6 inches (8 inches for hardwoods).

Saw-log portion. That part of the bole of sawtimber trees between a 1-foot stump and the saw-log top, including the portion of forks large enough to contain a saw log.

Saw-log top. The point on the bole of saw-timber trees above which a conventional saw log cannot be produced. The minimum saw-log top is 7.0 inches in diameter outside bark (d.o.b.) for softwoods and 9.0 inches (d.o.b.) for hardwoods.

Sawtimber-size trees. Softwoods 9.0 inches d.b.h. and larger and hardwoods 11.0 inches d.b.h. and larger.

Sawtimber volume. Growing-stock volume in the saw-log portion of sawtimber-size trees in board feet (International 1/4-inch rule).

Seedlings. Live trees of commercial species less than 1.0 inch d.b.h. that are expected to survive and develop.

Site class. A classification of forest land in terms of inherent capacity to grow crops of industrial wood based on fully stocked natural stands, by annual production capacity.

Class 1. 165 or more cubic feet per acre.

Class 2. 120 to 164 cubic feet per acre.

Class 3. 85 to 119 cubic feet per acre.

Class 4. 50 to 84 cubic feet per acre.

Class 5. 20 to 49 cubic feet per acre.

Softwoods. Gymnosperms; in the order Coniferales, usually evergreen (includes the genus Taxodium which is deciduous), having needles or scalelike leaves.

Pines. Yellow pine species which include loblolly, longleaf, slash, pond, shortleaf, pitch, Virginia, sand, spruce, and Table Mountain pines.

Other softwoods. Cypress, eastern redcedar, white cedar, eastern white pine, eastern hemlock, spruce, and fir.

Stand-size class. A classification of forest land based on the diameter class distribution of growing-stock trees in the stand.

Sawtimber stands. Stands at least 16.7 percent stocked with growing-stock trees, with half or more of total stocking in sawtimber and poletimber trees, and with sawtimber stocking at least equal to poletimber stocking.

Poletimber stands. Stands at least 16.7 percent stocked with growing-stock trees of which half or more of total stocking is in poletimber and sawtimber trees, and with poletimber stocking exceeding that of sawtimber.

Sapling-seedling stands. Stands at least 16.7 percent stocked with growing-stock trees of which more than half of total stocking is saplings and seedlings.

State, county, and municipal land. Land owned by States, counties, and local public agencies or municipalities, or land leased to these governmental units for 50 years or more, inches outside bark or to the point where

Stocking. The degree of occupancy of land by trees, measured by basal area or the number of trees in a stand and spacing in the stand, compared with a minimum standard, depending on tree size, required to fully utilize the growth potential of the land.

Fully stocked. 100 percent or more stocking.

Medium stocked. 60 to 99 percent stocking.

Poorly stocked. Less than 60 percent stocking.

Survivor growth. The merchantable volume increment on trees 5.0 inches d.b.h. and larger in the inventory at the beginning of the year and surviving to its end.

Timber products. Roundwood products and byproducts.

Timber removals. The merchantable volume of trees removed from the inventory by harvesting, cultural operations such as stand improvement, land clearing, or changes in land use.

Top. The portion of the main stem and forks from a 4.0-inch diameter outside bark to the tips of the main stem and forks, plus all other limbs above the 4.0-inch top at least 0.5 inch in diameter at their point of occurrence.

Treatment opportunity. A classification of the management or treatment that would most improve for timber production the existing condition of the stand being sampled.

Unproductive forest land. Forest land incapable of producing 20 cubic feet per acre of industrial wood under natural conditions. because of adverse site conditions.

Upper-stem portion. That part of the main stem or fork of sawtimber trees above the saw-log top to minimum top diameter 4.0 the main stem or fork breaks into limbs.

Urban and other areas. Areas developed for residential, industrial, or recreational purposes, school yards, cemeteries, roads, railroads, airports, beaches, powerlines and other rights-of-way, or other nonforest land not included in any other specified land use class.

Stocking standard

D.b.h. class	Minimum number of trees per acre for full stocking	Minimum basal area per acre for full stocking			
Seedlings	600				
2	560				
4	460				
6	340	67			
8	240	84			
10	155	85			
12	115	90			
14	90	96			
16	72	101			
18	60	106			
20	51	111			

Conversion Factors

Cubic feet of wood per average cord (excluding bark)

D.b.h. class	:	All species	:	Pine	Other softwood	: : Hardwood :
6		60.5		61.0	68.2	60.0
8		68.5		68.1	76.0	68.4
10		73.4		73.1	81.4	73.4
12		76.7		76.7	85.2	76.4
14		79.1		79.4	88.2	78.4
16		80.8		81.6	90.4	79.8
18		82.2		83.3	92.3	80.8
20		83.2		84.8	93.8	81.5
22		84.1		86.0	95.1	82.1
24+		85.3	*	87.6	98.0	83.2
Average		75.3		75.0	88.3	74.9

Metric equivalents of units used in this report

¹ acre = 4,046.86 square meters or 0.404686 hectares

¹ cubic foot = 0.028317 cubic meters

¹ inch = 2.54 centimeters or 0.0254 meters

Breast height = 1.4 meters above ground level

¹ square foot * 929.03 square centimeters or 0.0929 square meters

l square foot per acre basal area = 0.229568 square meters per hectare

¹ pound = 0.454 kilograms

¹ ton = 0.907 metric tons

County Tables

The county tables are intended for use in compiling forest resource estimates for groups of counties. Because the sampling procedure used by the Forest Survey was intended primarily to furnish inventory data for the Survey Unit as a whole, individual county estimates have limited and variable accuracy. As county totals are broken down by various subdivisions, the possibility of error increases and is greatest for the smallest items. The order of this increase can be computed with the formula on page 4.

Table 1 .-- Area, by county and land class, Northern Coastal Plain of North Carolina, 1984

	: All :		: : Nonforest			
County	land ^a	Total	Commercial forest	Unproductive forest	Productive- reserved	land ^b
			<u>A</u> c	res		
Beaufort	528,704	301,822	301,822			226,882
Bertie	448,595	318,227	318,227			130,368
Camden	153,914	92,016	77,531	→ -	14,485	61,898
Carteret	336,365	192,836	187,888	4,858	90	143,529
Chowan	116,192	52,326	52,326	<i>'</i>		63,866
Craven	448,941	317,305	316,989	- -	316	131,636
Currituck	163,578	67,774	66,469	1,305		95,804
Dare	250,106	166,905	147,165	18,635	1,105	83,201
Edgecombe	323,642	158,528	158,528	· 	·	165,114
Gates	216,480	154,927	145,523		9,404	61,553
Halifax	463,162	259,292	256,952		2,340	203,870
Hertford	227,898	149,132	149,132		·	78,766
Hyde	399,501	222,582	221,910	672		176,919
Martin	294,886	183,261	183,261			111,625
Nash	345,344	177,326	177,326			168,018
Northampton	344,525	203,939	203,939			140,586
Pamlico	218,067	121,704	120,348	1,356		96,363
Pasquotank	145,920	52,259	52,259	· 		93,661
Perquimans	157,696	74,582	74,582			83,114
Pitt	420,173	195,439	195,439			224,734
Tyrrell	260,365	159,230	159,053		177	101,135
Washington	212,243	98,486	93,590	4,741	155	113,757
Wilson	239,533	101,078	101,078	·		138,455
Total	6,715,830	3,820,976	3,761,337	31,567	28,072	2,894,854

^aFrom U.S. Bureau of the Census, 1980.

Includes 53,921 acres of water according to Forest Survey standards of area classification, but defined by the Bureau of Census as land.

Table 2. -- Area of commercial forest land, by county and ownership class, Northern Coastal Plain of North Carolina, 1984

		;	Ownership class									
County	All ownerships	Nationa1	·Miscellaneous	:	County and	Forest	:	Other privat	e			
		Forest	Federal	State	municipal	industrya	Farmer	Corporate	Individual			
					<u>Acres</u> -		- - - -					
Beaufort	301,822			4,367	58	168,415	47,848	24,964	56,170			
Bertie	318,227			65	90	108,374	109,042	50,328	50,328			
Camden	77,531		9,203			20,099	25,163	4,194	18,872			
Carteret	187,888	55,937	5,535	411	121	52,448	3,865	23,190	46,381			
Chowan	52,326		20		200	10,808	23,230	5,162	12,906			
Craven	316,989	55,879	5,170	105	255	115,236	60,603		79,741			
Currituck	66,469		1,694	8,553	190	7,364	19,467		29,201			
Dare	147,165		40,656		10	550	· - -	98,381	7,568			
Edgecombe	158,528			175	221	7,391	85,325	14,221	51,195			
Gates	145,523		11,528	3,800		50,322	43,567		36,306			
Halifax	256,952		27	857	225	47,284	124,627	12,717	71,215			
Hertford	149,132			165	130	38,784	66,031	5,503	38,519			
Hyde	221,910		8,628	12,850		34,113	26,730	92,069	47,520			
Martin	183,261		´ 	· - -	40	62,313	98,925		21,983			
Nash	177,326			93	87	7,341	75,469	12,578	81,758			
Northampton	203,939			1,233	292	27,639	106,011	11,461	57,303			
Pamlico	120,348			1,000	41	52,748	18,719	14,560	33,280			
Pasquotank	52,259		3,831	217	3 65	5,860	25,192	8,397	8,397			
Perquimans	74,582		600		61	20,996	27,613	6,903	18,409			
Pitt	195,439			20	683	29,942	79,651	10,986	74,157			
Tyrrell	159,053			27	9	45,761	13,868	90,143	9,245			
Washington	9 3,590	 -	1,000	361	4	40,284	20,777	7,791	23,373			
Wilson	101,078		,	4	1,011	2,123	36,378	2,798	58,764			
Total	3,761,337	111,816	87,892	34,303	4,093	956,195	1,138,101	496,346	932,591			

^aIncludes 32,458 acres of other private land under long-term lease.

Table 3.--Area of commercial forest land, by county and forest-type group, Northern Coastal Plain of North Carolina, 1984

	: A11 A	:			Fore	st-type gr	oup			
County All type groups	White pine- hemlock	Spruce- fir	Longleaf- slash	Loblolly- shortleaf	Oak- pine	Oak- hickory	Oak-gum-	Elm-ash- cottonwood	Maple-beech- birch	
	- -		-		Acre	<u>s</u>				
Beaufort	301,822			3,381	171,853	31,207	41,949	53,432		
Bertie	318,227			·	103,899	44.093	80,120	75,010	15,105	
Camden	77,531				6,290	2,097	12,582	56,562	,	
Carteret	187,888			20,771	94,204	34,747	12,777	25,389		
Chowan	52,326			,	13,368	20,770	13,026	5,162		
Craven	316,989			7,504	135,491	55,220	45,117	57,968	15,689	
Currituck	66,469			, <u></u>	18,837	11,445	12,977	23,210		
Dare	147,165				56,017	22,703	,	68,445		
Edgecombe	158,528				38,677	19,909	48,572	48,526	2,844	
Gates	145,523				52,954	9,659	24,155	58.755		
Halifax	256,952				86,170	35,609	90,378	39,708	5,087	
Hertford	149,132				54,131	18,629	48,858	27,514		
Hyde	221,910				124,541	27,373	14,367	53,903	1,726	
Martin	183,261			2,813	61,168	27,610	30,759	55,350	5,561	
Nash	177,326			´ - -	58,881	26,203	73,373	15,724	3,145	
Northampton	203,939				56,971	23,304	70,427	31,609	21,628	
Pamlico	120,348			2,080	63,251	4,160	12,480	36,297	2,080	
Pasquotank	52,259			·	16,850	´	11,328	24,081		
Perquimans	74,582				25,501	9,204	23,770	16,107		
Pitt	195,439				78,525	19,227	38,450	59,237		
Tyrrell	159,053				65,440	20,414	´	73,199		
Washington	93,590				20,413	14,901	9,933	48,343		
Wilson	101,078				30,106	2,799	39,179	26,196	2,798	
Total	3,761,337			36,549	1,433,538	481,283	754,577	979,727	75,663	

Table 4.--Area of commercial forest land, by county and stand-size class, Northern Coastal Plain of North Carolina, 1984

	:	A11	St	and-size clas	s	
County	: :	stands	: Sawtimber :	Poletimber :	Sapling- seedling	Nonstocked areas
	_			- <u>Acres</u>		
Beaufort		301,822	99,672	123,018	70,678	8,454
Bertie		318,227	174,790	68,099	72,959	2,379
Camden		77,531	40,657	10,485	24,292	2,097
Carteret		187,888	82,599	51,345	53,944	·
Chowan		52,326	20,890	10,445	18,289	2,702
Craven		316,989	124,319	82,793	106,688	3,189
Currituck		66,469	39,724	15,299	11,446	
Dare		147,165	46,464	76,181	19,475	5,045
Edgecombe		158,528	62,747	57 , 735	38,046	45
Gates		145,523	56,954	49,112	37,060	2,397
Halifax		256,952	134,503	62,160	60,289	
Hertford		149,132	63,447	40,044	45,641	
Hyde		221,910	76,702	69,276	52,655	23,277
Martin		183,261	99,641	36,050	44,291	3,279
Nash		177,326	105,865	33,724	37,737	
Northampton		203,939	110,388	52,777	37,909	2,865
Pamlico		120,348	58,048	21,384	32,596	8,320
Pasquotank		52,259	40,770	6,332	5,157	
Perquimans		74,582	24,309	31,166	13,807	5,300
Pitt		195,439	102,476	45,025	45,192	2,746
Tyrrell		159,053	72,781	42,165	37,172	6,935
Washington		93,590	37,820	20,457	29, 575	5,738
Wilson		101,078	48,586	30,105	19,589	2,798
Total		3,761,337	1,724,152	1,035,177	914,487	87,521

Table 5.--Area of commercial forest land, by county and site class, Northern Coastal Plain of North Carolina, 1984

0	: : : : : : : : : : : : : : : : : : :	Sit	e class (cu	bic feet per	acre per yea	r)
County	: classes :	> 164	120-164	85-119	50-84	20-49
		_	<u>Ac</u>	<u>res</u>		
Beaufort	301,822		4,161	126,807	155,184	15,670
Bertie	318,227		11,184	152,975	148,476	5,592
Camden	77,531		2,097	20,969	54,465	·
Carteret	187,888			32,064	91,476	64,348
Chowan	52,326		5,162	39,421	5,162	2,581
Craven	316,989		14,429	94,185	153,747	54,628
Currituck	66,469		·	29,200	28,412	8,857
Dare	147,165			10,693	77,943	58,529
Edgecombe	158,528		25,599	55,065	77,864	,
Gates	145,523		4,841	50,732	81,790	8,160
Halifax	256,952	5,087	12,716	99,865	128,663	10,621
Hertford	149,132		2,751	48,265	98,116	
Hyde	221,910		5,940	24,604	97,084	94,282
Martin	183,261		13,740	57,837	111,684	,
k ≥ h	177,326		15,721	88,140	73,465	
Northampton	203,939		8,688	78,963	110,558	5,730
Pamlico	120,348		6,011	32,367	54,386	27,584
Pasquotank	52,259		8,762	32,967	10,530	·
Perquimans	74,582		9,902	31,971	30,408	2,301
Pitt	195,439		16,480	86,539	92,420	·
Tyrrell	159,053			33,490	79,733	45,830
Washington	93,590		2,597	35,130	44,475	11,388
Wilson	101,078		5,596	40,193	55,289	
Total	3,761,337	5,087	176,377	1,302,442	1,861,330	416,101

Table 6.--Area of commercial forest land, by county and stocking class of growing-stock trees, Northern Coastal Plain of North Carolina, 1984

0	: All :		Stoc	king percent	age ^a	
County	: classes :	> 130	100-130	60-99	16.7-59	< 16.7
			<u>Acr</u>	<u>es</u>		
Beaufort	301,822	43,760	124,387	106,307	18,914	8,454
Bertie	318,227	26,288	164,328	100,904	24,328	2,379
Camden	77,531	2,097	31,453	35,186	6,698	2,097
Carteret	187,888	10,216	92,081	43,659	41,932	, <u>-</u> -
Chowan	52,326	2,581	26,274	20,769	´ 	2,702
Craven	316,989	21,939	133,875	128,677	29,309	3,189
Currituck	66,469	´ 	34,958	21,616	9,895	´
Dare	147,165	10,695	66,648	45,908	18,869	5,045
Edgecombe	158,528	8,532	78,495	60,125	11,376	, <u></u>
Gates	145,523	19,290	70,846	48,172	4,818	2,397
Halifax	256,952	28,862	124,765	87,838	15,487	´
Hertford	149,132	8,254	78,097	38,649	24,132	
Hyde	221,910	28,336	63,856	77,061	29,380	23,277
Martin	183,261	25,058	99,771	52,340	2,813	3,279
Nash	177,326	31,445	73,551	48,219	24,111	
Northampton	203,939	11,187	87,618	90,809	11,460	2,865
Pamlico	120,348	25,937	20,900	54,791	10,400	8,320
Pasquotank	52,259	4,780	19,413	18,711	9,355	·
Perquimans	74,582	5,900	24,202	36,879	2,301	5,300
Pitt	195,439	15,376	92,724	81,847	2,746	2,746
Tyrrell	159,053	18,490	38,111	63,530	31,987	6,935
Washington	93,590	4,967	27,663	32,757	22,465	5,738
Wilson	101,078	5,600	38,500	42,986	11,194	2,798
Total	3,761,337	359,590	1,612,516	1,337,740	363,970	87,521

^aSee stocking standards on page 11.

Table 7.--Volume of sawtimber and growing stock on commercial forest land, by county and species group, Northern Coastal Plain of North Carolina, 1984

	•		Sawtimber			: :		Growing sto	ck	
County	All species	: Pine	Other softwood	Soft hardwood	Hard hardwood	All species	Pine	Other softwood	Soft hardwood	Hard hardwood
		<u>Tho</u>	usand board	feet			<u>Tho</u> t	usand cubic fo	eet ^a	
Beaufort	1,238,454	583,901	47,709	401,605	205,239	448,054	220,753	10,700	152,355	64,246
Bertie	2,030,788	698,846	115,371	816,687	399,884	582,838	182,684	24,793	248,275	127,086
Camden	573,711	164,316	27,567	322,950	58,878	164,177	32,603	7,184	105,944	18,446
Carteret	773,531	630,049		112,969	30,513	232,952	166,788		53,053	13,111
Chowan	342,085	162,152	6,325	137,161	36,447	84,176	31,230	1,294	40,765	10,887
Craven	1,529,798	803,588	38,145	506,282	181,783	462,110	234,350	8,147	167,401	52,212
Currituck	498,187	303,002	26,171	136,319	32,695	136,264	61,074	6,144	57,026	12,020
Dare	615,603	303,563	102,214	194,829	14,997	220,070	92,033	25,484	99,046	3,507
Edgecombe	1,081,286	364,007	56,309	407,900	253,070	303,351	84,612	11,204	123,979	83,556
Gates	887,196	418,557	68,702	340,873	59,064	277,641	102,090	15,594	132,568	27,389
Halifax	1,871,493	793,969	25,816	663,275	388,433	503,515	184,642	4,494	191,467	122,912
Hertford	797,948	281,043	36,875	306,893	173,137	227,749	67,254	7,775	99,141	53,579
Hyde	892,371	574,215	46,197	222,738	49,221	294,262	176,781	10,684	95,657	11,140
Martin	1,252,556	466,643	111,504	561,480	112,929	372,609	121,698	22,602	189,640	38,669
Nash	1,354,865	678,906	19,144	378,648	278,167	349,094	149,445	4,033	113,651	81,965
Northampton	1,218,034	391,246	37,605	400,659	388,524	342,561	103,498	8,027	122,106	108,930
Pamlico	655,933	432,569	14,803	176,430	32,131	194,421	111,248	2,902	68,433	11,838
Pasquotank	478,144	156,460	26,348	251,199	44,137	127,791	31,963	6,686	78,919	10,223
Perquimans	283,766	53,253	20,147	116,996	93,370	109,967	27,301	4,907	49,337	28,422
Pitt	1,278,581	454,692	122,182	548,499	153,208	361,155	128,151	23,333	159,431	50,240
Tyrrell	762,335	419,834	65,247	249,103	28,151	260,687	110,496	27,288	114,348	8,555
Washington	412,676	123,759	41,427	200,785	46,705	133,905	27,281	11,641	77,552	17,431
Wilson	701,109	290,106	9,941	252,754	148,308	191,839	63,129	2,091	71,676	54,943
Total	21,530,450	9,548,676	1,065,749	7,707,034	3,208,991	6,381,188	2,511,104	247,007	2,611,770	1,011,307

^aPactors for converting to cords are shown on page 11.

Table 8.--Net annual growth of sawtimber and growing stock on commercial forest land, by county and species group, Northern Coastal Plain of North Carolina, 1983

	:		Sawtimber			:		Growing sto	ck	
County	All species	Pine	Other softwood	Soft hardwood	Hard hardwood	All species	: Pine	Other softwood	Soft hardwood	Hard hardwood
		Thou	isand board fo	eet		-	The	ousand cubic	feet	-
Beaufort	86,265	52,836	1,617	21,117	10,695	24,732	15,270	268	6,637	2,557
Bertie	98,977	38,084	3,356	35,189	22,348	24,757	9,676	640	9,312	5,129
Camden	23,618	6,497	823	13,564	2,734	5.467	1,020	180	3,605	662
Carteret	43,028	35,048		6,206	1,774	9,369	6,440		2,291	638
Chowan	15,774	5,054	95	7,060	3,565	3,208	1,023	16	1,731	438
Craven	74,436	41,206	1,227	25,802	6,201	21,468	12,979	184	6,389	1,916
Currituck	20,003	9,534	610	7,108	2,751	4,916	1,583	2 25	2,509	599
Dare	34,876	20,365	5,191	8,896	424	7,259	3,244	891	3,052	72
Edgecombe	54,324	16,261	1,741	22,389	13,933	12,217	4,238	283	4,455	3,241
Gates	44,531	18,834	2,391	19,342	3,964	11,462	5,031	433	4.681	1,317
Ralifax	95,184	41,030	390	34,283	19,481	22,065	8,376	69	8,332	5,288
Hertford	34,071	12,013	1,127	13,400	7,531	9,281	3,415	199	3,744	1,923
Hyde	50,312	33,285	1,533	13,228	2,266	12,573	7,676	248	4,263	386
Martin	62,898	25,186	3,346	26,835	7,531	15,652	6,417	928	6,686	1,621
Nash	57,322	26,636	405	16,326	13,955	14,106	6,143	68	4,804	3,091
Northampton	56,630	22,718	871	16,854	16,187	14,584	5,889	136	4,391	4,168
Pamlico	36,362	25,608	460	8,988	1,306	8,639	4,799	74	3,339	427
Pasquotank	18,703	6,208	1,006	9,435	2,054	3,973	1,189	186	2,260	338
Perquimans	14,533	4,691	624	5,778	3,440	5,033	2,294	121	1,546	1,072
Pitt	60,528	23,236	3,485	26,214	7,593	15,432	7,578	560	5,189	2,105
Tyrrell	37,522	21,406	3,079	11,793	1,244	9,743	4,238	931	4,246	328
Vashington	16,646	5,272	1,515	8,157	1,702	5,935	1,079	533	3,539	784
Wilson	39,190	12,614	331	16,604	9,641	8,235	2,651	55	3,403	2,126
Total	1,075,733	503,622	35,223	374,568	162,320	270,106	122,248	7,228	100,404	40,226

Table 9.—Annual removals of sawtimber and growing stock on commercial forest land, by county and species group, Northern Coastal Plain of North Carolina, 1983

	: :		Sawtimber	•		: :		Growing sto	ck	
County	All species	Pine	Other softwood	Soft hardwood	Hard hardwood	All species	: Pine	Other softwood	Soft hardwood	Hard hardwood
		Tho	usand board	feet			<u>The</u>	ousand cubic	feet	
Beaufort	65,230	45,685	1,178	11,169	7,198	15,778	10,551	220	3,460	1,547
Bertie	55,663	38,794	688	7,989	8,192	14,313	8,488	142	3,183	2,500
Camden	33,187	24,122	5,126	2,014	1,925	7,313	4,370	1,092	1,343	508
Carteret	27,512	26,451	·	1,061	·	9,051	8,177	·	821	53
Chowan	21,801	16,107		2,632	3,062	4,880	3,014		858	1,008
Craven	46,478	36,771		8,630	1,077	11,873	8,702		2,619	552
Currituck	13,614	6,963		6,651		3,680	1,812		1,868	
Dare	19,419	15,360	3,673	38 6		5,905	3,280	2,274	351	
Edgecombe	60,114	35,861	-,	15,668	8,585	13,964	8,474		3,288	2,202
Gates	33,388	26,352		5,769	1,267	7,057	4,731		1,768	558
Halifax	45,783	17,556		17,992	10,235	13,222	4,775		3,990	4,457
Hertford	28,064	17,725		3,863	6,476	7,034	3,787		979	2,268
Hyde	28,049	20,866	1.134	6,049	,	7,568	5,557	236	1,726	49
Martin	40,440	34,162		953	5,325	8,821	6,875		397	1,549
Nash	47,150	26,880		11,832	8,438	11,573	5,822		3,364	2,387
Northampton	38,190	9,723		15,153	13,314	10,656	2,472		4,141	4,043
Pamlico	41,221	26,577		8,305	6.339	11,267	6,022		3,212	2,033
Pasquotank	22,993	9,400	5,206	4,999	3,388	6,758	2,198	1,087	2,558	915
Perquimans	17,916	10,901	1,980	312	4,723	5,496	2,749	417	968	1,362
Pitt	53,112	25,693	1,836	19,302	6,281	13,694	6,400	362	5,502	1,430
Tyrrell	36,236	25,706	2,311	6,701	1,518	10,098	6,447	453	2,705	493
Washington	24,748	18,376		5,931	441	6,694	3,663		2,836	195
Wilson	35,312	26,052		5,049	4,211	7,278	4,801		1,198	1,279
Total	835,620	542,083	23,132	168,410	101,995	213,973	123,167	6,283	53,135	31,388

Unit Tables

Table 10.--Area of commercial forest land, by forest type and ownership class, Northern Coastal Plain of North Carolina, 1984

	: :		0	wnership cla	ISS	
Forest type	: All : ownerships : :	National: Forest:	Other public	: : Forest : industry :	Forest industry- leased	: Other : private :
			<u>Ac</u>	res		
Softwood types:						
White pine-hemlock	***					
Spruce-fir						
Longleaf pine	26,490	16,437	1,723	2,384		5,946
Slash pine	10,059			2,813	3,381	3,865
Loblolly pine	1,137,861	17,626	13,105	523,234	12,750	571,146
Shortleaf pine	5,895					5,895
Virginia pine						
Sand pine						
Eastern redcedar						- -
Pond pine	289,782	30,206	30,481	46,404		182,691
Spruce pine					- -	
Pitch pine			·			
Table Mountain pine						
Total	1,470,087	64,269	45,309	574,835	16,131	769,543
Hardwood types:						
Oak-pine	481,283	35,702	6,561	57,500	3,735	377,785
Oak-hickory	754,577	4,590	10,221	74,975	6,201	658,590
Chestnut oak	´ 	·		·		
Southern scrub oak				~~		
Oak-gum-cypress	979,727	7,255	62,471	193,544	6,391	710,066
Elm-ash-cottonwood	75,663	·	1,726	22,883		51,054
Maple-beech-birch						
Total	2,291,250	47,547	80,979	348,902	16,327	1,797,495
All types	3,761,337	111,816	126,288	923,737	32,458	2,567,038

Table 11.--Area of commercial forest land, by ownership and stocking classes of growing-stock trees, Northern Coastal Plain of North Carolina, 1984

Ownership	: : : : : : : : : : : : : : : : : : :	Stocking percentage ^a								
class	: classes :	> 130	100-130	60-99	16.7-59	< 16.7				
			<u>Ac</u>	res						
National Forest	111,816	5,327	27,998	44,145	34,346					
Other public	126,288	8,185	45,200	49,963	18,450	4,490				
Forest industry	923,737	115,375	464,292	253,378	64,283	26,409				
Forest industry-leased	32,458	7,782	13,489	7,910	2,851	426				
Other private	2,567,038	222,921	1,061,537	982,344	244,040	56,196				
All ownerships	3,761,337	359,590	1,612,516	1,337,740	363,970	87,521				

^aSee stocking standards on page 11.

Table 12.--Area of commercial forest land, by stand-age and broad management classes, all ownerships, Northern Coastal Plain of North Carolina, 1984

		:	Broad	management	class	
Stand-age class (years)	All classes	Pine plantation	Natural pine	: Oak-pine	Upland hardwood	Lowland hardwood
			<u>Acre</u>	<u>s</u>		
0-10	575,683	206,914	61,464	96,666	133,255	77,384
11-20	455,232	242,060	71,145	44,784	54,959	42,284
21-30	369,967	59,402	151,938	68,340	41,802	48,485
31-40	415,972	3,187	213,492	37,927	93,452	67,914
41-50	434,528		131,764	40,730	117,076	144,958
51-60	413,617		112,333	48,047	111,438	141,799
61-70	302,239	***	61,806	40,235	60,814	139,384
71-80	158,395		35,035	26,185	34,599	62,576
81+	197,992		23,295	11,980	12,437	150,280
No manageable stand	437,712	6,750	89,502	66,389	94,745	180,326
All classes	3,761,337	518,313	951,774	481,283	754,577	1,055,390

Table 13.--Area of commercial forest land, by stand-age and broad management classes, public ownerships, Northern Coastal Plain of North Carolina, 1984

Ch	414	:	Broad	management (class	
Stand-age class (years)	All classes	Pine plantation	Natural pine	: Oak-pine	Upland hardwood	Lowland hardwood
			Асте	8		
0-10	9,986	1,927	5,755	292	351	1,661
11-20	14,053	393	3,394	1,711		8,555
21-30	19,133	1,233	10,982	4,590		2,328
31-40	22,313		17,361	2,664		2,288
41-50	35,536		19,885	1,889	290	13,472
51-60	33,854		11,573	2,579	4,367	15,335
61-70	25,236		6,055	2,753	4,590	11,838
71-80	10,489		3,647	1,927	1,723	3,192
81+	6,085		4,374	·		1,711
No manageable stand	61,419	2,885	20,114	23,858	3,490	11,072
All classes	238,104	6,438	103,140	42,263	14,811	71,452

Table 14.--Area of commercial forest land, by stand-age and broad management classes, forest industry, a Northern Coastal Plain of North Carolina, 1984

		·	Broad	management	class	
Stand-age class (years)	All classes	Pine plantation	Natural pine	: Oak-pine	Upland hardwood	Lowland hardwood
			<u>A</u> c	res		
0-10	217,723	146,906	14,706	17,178	12,396	26,537
11-20	283,624	228,055	20,672	14,903	10,093	9,901
21-30	98,869	55,749	26,081	4,754	3,433	8,852
31-40	43,558	3,187	26,602	·	2,702	11,067
41-50	59,660		21,029	3,269	11,142	24,220
51-60	57,376		21,847	3,060	8,153	24,316
61-70	47,273		6,316	7,561	5,145	28,251
71-80	34,153		7,321	2,702	2,930	21,200
81+	34,993		2,396	1,479	1,048	30,070
No manageable stand	78,966		10,099	6,329	24,134	38,404
All classes	956,195	433,897	157,069	61,235	81,176	222,818

a Includes 32,458 acres of other private land under long-term lease.

Table 15.--Area of commercial forest land, by stand-age and broad management classes, other private ownerships, a Northern Coastal Plain of North Carolina, 1984

0. 1	:	Broad management class									
Stand-age class (years)	All classes	Pine plantation	Natural pine	: Oak-pine	Upland hardwood	Lowland hardwood					
			<u>Acres</u>								
0-10	347,974	58,081	41,003	79,196	120,508	49,186					
11-20	157,555	13,612	47,079	28,170	44,866	23,828					
21-30	251,965	2,420	114,875	58,996	38,369	37,305					
31-40	350,101	·	169,529	35,263	90,750	54,559					
41-50	339,332		90,850	35,572	105,644	107,266					
51-60	322,387		78,913	42,408	98,918	102,148					
61-70	229,730		49,435	29,921	51,079	99,295					
71-80	113,753		24,067	21,556	29,946	38,184					
81+	156,914		16,525	10,501	11,389	118,499					
No manageable stand	297,327	3,865	59,289	36,202	67,121	130,850					
All classes	2,567,038	77,978	691,565	377,785	658,590	761,120					

Excludes 32,458 acres of other private land under long-term lease to forest industry.

Table 16.--Area of commercial forest land, by broad management and stand-volume classes, Northern Coastal Plain of North Carolina, 1984

Broad management	: A11	Stand-volum	e class (cu	bic feet of	growing stock	k per acre)
class	classes	0-499	500-999	1000-1499	1500-1999	2000+
			<u>Ac</u>	res		
Pine plantation	518,313	257,730	79,074	72,560	60,512	48,437
Natural pine	951,774	196,755	87,006	95,857	130,678	441,478
Oak-pine	481,283	157,044	87,477	47,903	64,788	124,071
Upland hardwood	754,577	178,857	103,350	113,263	134,929	224,178
Lowland hardwood	1,055,390	198,827	81,554	113,656	130,075	531,278
All classes	3,761,337	989,213	438,461	443,239	520,982	1,369,442

Table 17. -- Volume of growing stock on commercial forest land, by broad management class, species group, and stand-age class, Northern Coastal Plain of North Carolina, 1984

Broad management	: All	No manageable	:			Stand	d-age class (years)			
species group	classes	stand	0-10	11-20	21-30	31-40	41-50	51-60	61-70	71-80	81+
					<u>Thou</u>	sand cubic 1	feet				
Pine plantation: Softwood Hardwood	350,634 17,936	3,163	15,913 1,296	222,676 8,929	102,780 7,342	6,102 369		- <u>-</u> 	 		
Total	368,570	3,163	17,209	231,605	110,122	6,471					
Natural pine:					· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·					
Softwood Hardwood	1,615,662 284,108	24,441 1,883	3,451 2,238	62,512 11,691	191,280 22,402	440,904 69,886	273,446 42,658	295,472 54,392	161,811 35,800	99,291 23,757	63,054 19,401
Total	1,899,770	26,324	5,689	74,203	213,682	510,790	316,104	_349,864	197,611	123,048	82,455
Oak-pine: Softwood Hardwood	339,850 318,578	23,211 4,733	9,956 10,617	19,820 15,001	45,104 29,308	38,192 29,075	34,684 39,515	59,681 67,287	45,234 58,560	42,572 40,278	21,396 24,204
Total	658,428	27,944	20,573	34,821	74,412	67,267	74,199	126,968	103,794	82,850	45,600
Upland hardwood: Softwood Hardwood	143,615 998,536	7,080 29,148	6,477 41,686	6,948 37,706	9,646 46,096	12,238 131,986	27,814 237,960	40,982 218,030	20,912 138,554	11,518 86,353	31,017
Total	1,142,151	36,228	48,163	44,654	55,742	144,224	265,774	259,012	159,466	97,871	31,017
Lowland hardwood: Softwood Hardwood	308,350 2,003,919	18,404 69,905	3,079 12,264	2,447 27,902	15,668 47,927	14,497 142,853	24,931 323,465	27,887 368,021	60,030 366,720	29,464 178,443	111,943 466,419
Total	2,312,269	88,309	15,343	30,349	63,595	157,350	348,396	395,908	426,750	207,907	578,362
All classes: Softwood Hardwood	2,758,111 3,623,077	76,299 105,669	38,876 68,101	314,403 101,229	364,478 153,075	511,933 374,169	360,875 643,598	424,022 707,730	287,987 599,634	182,845 328,831	196,393 541,041
Total	6,381,188	181,968	106,977	415,632	517,553	886,102	1,004,473	1,131,752	887,621	511,676	737,434

Table 18.--Net annual growth of growing stock on commercial forest land, by broad management class, species group, and stand-age class, Northern Coastal Plain of North Carolina, 1983

Broad management :	A11	: No				Stand-	age class ^a (years)			
class and species group	classes	manageable stand	0-10	11-20	21-30	31-40	41-50	51-60	61-70	71-80	81+
					<u>Tho</u>	usand cubic	feet				
Pine plantation: Softwood Hardwood	37,915 1,489	361	4,320 43	24,506 961	8,443 466	285 19				_ <u>_</u>	
Total	39,404	361	4,363	25,467	8,909	304					
Natural pine: Softwood Hardwood	65,975 17,224	745 190	341 218	6,358 749	12,124 1,721	19,332 4,850	9,635 2,853	8,615 3,008	4,628 1,814	2,633 1,020	1,564 801
Total	83,199	935	559	7,107	13,845	24,182	12,488	11,623	6,442	3,653	2,365
Oak-pine: Softwood Hardwood	11,709 14,366	551 364	607 397	1,589 1,147	1,565 1,999	1,458 1,531	1,357 1,714	1,616 2,419	1,384 2,590	1,097 1,330	485 875
Total	26,075	915	1,004	2,736	3,564	2,989	3,071	4,035	3,974	2,427	1,360
Upland hardwood: Softwood Hardwood	4,781 41,500	247 1,204	245 1,775	456 2,315	344 2,626	441 6,738	997 9,910	1,228 8,389	479 4,867	344 2,893	783
Total	46,281	1,451	2,020	2,771	2,970	7,179	10,907	9,617	5,346	3,237	783
Lowland hardwood: Softwood Hardwood	9,096 66,051	717 2,604	95 428	266 1,519	707 3,168	625 5,994	759 12,903	752 11,414	1,795 10,768	599 5,037	2,781 12,216
Total	75,147	3,321	523	1,785	3,875	6,619	13,662	12,166	12,563	5,636	14,997
All classes: Softwood Hardwood	129,476 140,630	2,621 4,362	5,608 2,861	33,175 6,691	23,183 9,980	22,141 19,132	12,748 27,380	12,211 25,230	8,286 20,039	4,673 10,280	4,830 14,675
Total	270,106	6,983	8,469	39,866	33,163	41,273	40,128	37,441	28,325	14,953	19,505

 $^{^{\}mbox{\scriptsize a}}$ Classifications at the end of the remeasurement period.

Table 19.--Annual removals of growing stock on commercial forest land, by broad management class, species group, and stand-age class, Northern Coastal Plain of North Carolina, 1983

:400;3;000[98	• •										
Total	213,973	12,920	714,2	972'01	54,213	\$69 ' TE	791'47	30,243	25,380	∠78 ' €T	878'51
:13 classes: Softwood Hardwood	179,450 129,450	£££,2 782,7	087 768,1	761°9	768'S 618'81	20,500	216'51 252'1E	565'£1 879'91	12°175	418,6 550,7	119 . 7
IsloT	986*57	S86'7	972		1,127	051,4	965 5	162,6	017,7	££1 ' 9	871.6
boowland hardwood: Softwood Hardwood	902 ' 9E 0E L' 6	901 ' 7 6/8	203 73		721,1	260 , 1 828,£	165 ' † 500 ' 1	561'9 960'6	£98 ' 7 478 ' 7	27£ 187,2	768'S 967
Total	ታ ታ0 ⁴ 9€	108,2	750	401 . £	2,395	251.2	7,072	8,265	2,618	192'1	3,143
pland hardwood: Softwood Hardwood	8,412 269,72	097°7 176	720	598°5 598	307 880 , 2	666,£	15 £	270 ' 9	867 028,1	79 <i>L</i> 567	969 ' T /77'T
Total:	187,85	278,1	77,422	9501	2,506	٤٠٢٤	£ 29 ° 9	971 €	525,4	920	1,265
sak-pine: Softwood Hardwood	686'01 770'81	515,1 582	८ ५ ५ ६96	927 930	656 742,1	3°175	782 , 287	2,409 787	266,1 526,1	867 221	373 655
fatoT	598,101	3,259	697	986,4	18,185	0/2,91	27,823	109'6	10,727	££\$ * \$	5,312
erural pine: boowilo2 boowbieH	962'01 695'16	008,2 459	 69†	878 802,£	07 / 1 97 ⁴ 91	260°7 £27°71	785 'Z 682 'SZ	179 096 ' 8	691 ' 1 795 ' 6	88£	998 976 ' 7
[stoT	7,69,t			769 L							
ine plantation: Softwood Hardwood	 /69'I	 		 	 						
		<u></u>			оц<u>т</u> – – – – .	orduo brasu	<u>199</u> 3				
sbecies group	: səssetə	puele bnele	01-0		08-17	. 07-IE	: 05-17	09-15	07-19	0/8-17	+18
road management class and	IIA	· oN -: aldranegem			Se-bnal2 oN IIA the San and Seal and Se						

[&]quot;Classification before timber removals occurred.

Table 20.--Merchantable volume of all live trees and growing stock on commercial forest land, by forest-type group, and species group, Northern Coastal Plain of North Carolina, 1984

:	!	A	ll live tr	ees	:		Gr	owing stoc	k	
Forest-type group	All species	Pine	Other softwood	Soft hardwood	Hard hardwood	All species	Pine :	Other softwood	Soft hardwood	Hard hardwood
	_ +			2	Thousand cub	ic feet		~		
White pine-hemlock						- -				
Spruce-fir	~-									
Longleaf-slash pine	54,749	51,957		2,573	219	53, 9 40	51,957		1,764	219
Loblolly-shortleaf pine	2,255,844	1,919,187	5,874	231,032	99,751	2,214,400	1,909,010	5 ,3 29	213,983	86,078
Oak-pine	692,318	334,294	7,751	219,183	131,090	658,428	333,159	6,691	204,145	114,433
Oak-hickory	1,219,085	144,189	´ 	466,197	608,699	1,142,151	143,615		435,154	563,382
Oak-gum-cypress	2,447,914	71,957	239,509	1,865,151	271,297	2,175,549	71,358	227,637	1,667,567	208,987
Elm-ash-cottonwood	153,098	2,205	7,673	97,603	45,617	136,720	2,005	7,350	89,157	38,208
Maple-beech-birch				<u> </u>						
All types	6,823,008	2,523,789	260,807	2,881,739	1,156,673	6,381,188	2,511,104	247,007	2,611,770	1,011,307

Table 21.—Area of commercial forest land treated or disturbed annually and retained in commercial forest land, by treatment or disturbance and ownership class, Northern Coastal Plain of North Carolina. 1974 to 1984

		Ownership class							
Treatment or disturbance	All : ownerships :	== '		Forest industry- leased	Other private				
			<u>Acres</u> a						
Final harvest	64,529	1,525	21,982	792	40,230				
Selective cutting and	•	,	•		,				
high grading	15,863	319	256		15,288				
Commercial thinning	5,361	608	2,128		2,625				
Other stand improvement	6,038	169	3,227	120	2,522				
Site preparation .	35,101	201	19,948	447	14,505				
Artificial regeneration ^b	25,580	197	18,309	522	6,552				
Natural regenerationb	27,324	227	3,512		23,585				
Natural disturbance	6,422	746	1,433		4,243				
Other treatment or	•		•		•				
disturbance	28,663	2,002	5,179		21,482				

^aSince some acres experience more than one treatment or disturbance, there are no column totals.

Table 22.--Area of commercial forest land treated or disturbed annually and retained in commercial forest land, by treatment or disturbance and broad management class, Northern Coastal Plain of North Carolina, 1974 to 1984

Treatment or disturbance		Broad management class							
	All classes	Pine plantation	Natural pine	Oak- pine	Upland hardwood	Lowland hardwood			
		<u>A</u> cres							
Final harvest	64,529	1,543	30,457	10,399	11,211	10,919			
Selective cutting and	•	•	•	•	•	•			
high grading	15,863	_	2,956	2,788	5,328	4,791			
Commercial thinning	5,361	1,637	1,994	817	325	588			
Other stand improvement	6,038	936	2,030	1,014	1,178	8 80			
Site preparation	35,101	2,061	16,377	5,607	5,748	5,308			
Other treatment	6,422		2,621	1,036	1,843	922			
Natural disturbance	28,663	713	14,493	4,781	4,098	4,578			

a Classification before treatment or disturbance.

bIncludes establishment of trees for timber production on forest and nonforest land.

Since some acres experience more than one treatment or disturbance, there are no column totals.

Table 23.--Area of commercial forest land regenerated annually, by type of regeneration and broad management class, Northern Coastal Plain of North Carolina, 1974 to 1984

:		Broad management class						
Type of regeneration :	All classes	Pine plantation	Natural pine	Oak- pine	Upland hardwood	Lowland hardwood		
				Acres				
Artificial regeneration following harvest	18,541	16,092		1,593	538	318		
Natural regeneration following harvest	21,279	301	3,035	5,016	8,599	4,328		
Other artificial regen- eration on forest land	6,880	6,486		235	159			
Other natural regen- eration on forest land	3,888	*** *********************************	923	1,622	1,042	301		
Artificial regeneration on nonforest land	159					159		
Natural reversion of nonforest land	2,157		1,115	208	295	539		
Total	52,904	22,879	5,073	8,674	10,633	5,645		

^aClassification after regeneration.

Table 24.--Area of commercial forest land, by treatment opportunity and broad management classes, Northern Coastal Plain of North Carolina, 1984

Treatment opportunity class	433	Broad management class						
	All classes	Pine plantation	Natural pine	Oak- pine	Upland hardwood	Lowland hardwood		
			Acre	es				
Salvage	5,146			5,146				
Harvest	478,445		152,585	72,995	75,015	177,850		
Commercial thinning	228,372	126,588	81,252	5,528	, <u></u>	15,004		
Other stand improvement	306,701	28,597	50,273	55,753	104,049	68,029		
Stand conversion	62,232	·	2,799	·	33,250	26,183		
Regeneration	417,108	6,750	85,496	66,389	94,745	163,728		
Stands in relatively	,	•	•	•	ŕ	·		
good condition	2,027,987	356,378	555,418	272,950	447,518	395,723		
Adverse sites	235,346		23,951	2,522		208,873		
All classes	3,761,337	518,313	951,774	481,283	754,577	1,055,390		

Areas where management opportunities are severely limited because of steep slopes or poor drainage.

Table 25.--Area of commercial forest land, by treatment opportunity and ownership classes, Northern Coastal Plain of North Carolina, 1984

	:	:	Ownersh	ip class	
Treatment opportunity class	: All : ownerships : :	Public	: Forest industry	Forest industry- leased	Other private
			<u>Acres</u> -		
Salvage	5,146				5,146
Harvest	478,445	32,021	72,879	3,540	370,005
Commercial thinning	228,372	3,831	128,575	12,801	83,165
Other stand improvement	306,701	13,735	79,612		213,354
Stand conversion	62,232	2,664	2,767		56,801
Regeneration	417,108	59,725	70,413	3,277	283,693
Stands in relatively	•	•	·	•	•
good condition	2,027,987	100,678	523,970	12,840	1,390,499
Adverse sites ^a	235,346	25,450	45,521		164,375
All classes	3,761,337	238,104	923,737	32,458	2,567,038

Areas where management opportunities are severely limited because of steep slopes or poor drainage.

Table 26 .-- Merchantable volume of all live trees and growing stock on commercial forest land, by ownership class and species group, Northern Coastal Plain of North Carolina, 1984

		Α	ll live tr	ees		: :	Gr	owing stoc	k	
Ownership class :	All species	: : : : : : : : : : : : : : : : : : :	Other softwood	Soft hardwood	Hard hardwood	All species	Pine	Other softwood	Soft hardwood	Hard hardwood
					- Thousand	cubic feet -		_		-
National Forest	175,602	127,972	3,956	32,053	11,621	168,596	127,088	1,794	28,784	10,930
Other public	238,980	74,821	11,228	124,205	28,726	218,169	74,582	9,004	115,053	19,530
Forest industry	1,295,443	578,277	39,717	527,057	150,392	1,211,447	575,848	37,025	471,417	127,157
Forest industry-leased	30,326	17,649	´	8,390	4,287	27,143	17,649		5,650	3,844
Other private	5,082,657	1,725,070	205,906	2,190,034	961,647	4,755,833	1,715,937	199,184	1,990,866	849,846
All ownerships	6,823,008	2,523,789	260,807	2,881,739	1,156,673	6,381,188	2,511,104	247,007	2,611,770	1,011,307

Table 27 .-- Volume of sawtimber on commercial forest land, by ownership class and species group, Northern Coastal Plain of North Carolina, 1984

:		Smi	all sawtimb	er		:	La	rge sawtimb	er ^b	
Ownership class :	All species	: Pine	Other softwood	Soft hardwood	Hard hardwood	All species	: Pine	Other softwood	Soft hardwood	Hard hardwood
					Thousand	board feet -				
National Forest	326,851	286,077		22,146	18,628	295,528	221,517	2,976	51,165	19,870
Other public	327,931	161,694	15,643	129,295	21,299	304,631	101,222	12,147	158,278	32,984
Forest industry	1,452,237	881,710	18,161	461,145	91,221	1,941,914	491,587	136,905	926,087	387,335
Forest industry-leased	20,785	12,063	·	5,259	3,463	23,907	3,467		10,344	10,096
Other private	6,632,286	3,446,489	231,653	2,135,875	818,269	10,204,380	3,942,850	648,264	3,807,440	1,805,826
All ownerships	8,760,090	4,788,033	265,457	2,753,720	952,880	12,770,360	4,760,643	800,292	4,953,314	2,256,111

^aVolume of sawtimber trees less than 15.0 inches at d.b.h. ^bVolume of sawtimber trees 15.0 inches and larger at d.b.h.

Table 28.--Net annual growth and removals of growing stock on commercial forest land, by ownership class and species group, Northern Coastal Plain of North Carolina, 1983

	•• ••	N	Net annual growth	rth			Annual	Annual timber removals	ovals	
Ownership class	A11 species	: Pine	Other softwood	Soft hardwood	Hard hardwood	All species	: Pine	Other softwood	Soft hardwood	Hard hardwood
	1 1 1	 	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 1	Thousand cubic feet	ubic feet -	1 1 1	1 1 1	1 1 1	1 1
National Forest	6,161	4,455	77	1,137	525	1,184	1,060	ł	;	124
Other public	8,323	2,575	699	4,318	761	2,119	669	858	295	1
Forest industry	67,138	43,637	1,357	17,661	4,483	45,392	29,523	421	9.553	5.895
Forest industry-leased	2,149	1,755		280	114	1,752	871	1	558	323
Other private	186,335	69,826	5,158	77,008	34,343	163,526	91,014	5,004	42,462	25,046
All ownerships	270,106	122,248	7,228	100,404	40,226	213,973	123,167	6,283	53,135	31,388

Table 29.--Net annual growth and removals of savtimber on commercial forest land, by ownership class and species group, Northern Coastal Plain of North Carolina, 1983

		Net	t annual growth	wth			Annual	Annual timber removals	vals	
Ownership class	All species	Pine	Other softwood	Soft	Hard hardwood	All : species :	Pine	Other softwood	Soft	Hard
	1 1 1	1 1	1 1 1	1 1 1 1	Thousand	- Thousand board feet -		1 1	; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ;	
National Forest	26,677	21,032	316	3,524	1,805	1,720	1,720	;	;	!
Other public	33,722	13,930		13,557	3,548	7,329	2,989	4,007	333	1
Forest industry	191,447	106,364	5,059	60,122	19,902	159,522	119,393	1,980	22,503	15,646
Forest industry-leased	9,794	8,759	!	099	375	8,153	4,321		1,813	2,019
Other private	814,093	353,537	27,161	296,705	136,690	658,896	413,660	17,145	143,761	84,330
All ownerships	1,075,733	503,622	35,223	374,568	162,320	835,620	542,083	23,132	168,410	101,995

Table 30.--Volume of timber on commercial forest land, by class and species group, Northern Coastal Plain of North Carolina, 1984

Class of timber :	All species	Pine	Other softwood	Soft hardwood	Hard hardwood
		<u>Th</u>	ousand cubic	feet	
Sawtimber trees:					
Saw-log portion Upper-stem portion ^a	3,688,592 808,876	1,654,875 218,851	187,850 23,041	1,327,068 394,500	518,799 172,484
Total	4,497,468	1,873,726	210,891	1,721,568	691,283
Poletimber trees	1,883,720	637,378	36,116	890,202	320,024
All growing-stock trees	6,381,188	2,511,104	247,007	2,611,770	1,011,307
Rough trees:					
Sawtimber size Poletimber size	113,499 206,618	4,982 7,370	1,745	77,026 99,974	29,746 99,274
Total	320,117	12,352	1,745	177,000	129,020
Rotten trees:					
Sawtimber size Poletimber size	112,562 9,141	333	11,881 174	86,180 6,789	14,168 2,178
Total	121,703	333	12,055	92,969	16,346
Salvable dead trees:					
Sawtimber size Poletimber size	4,232 2,966	3,883 2,669	153 96	126 113	70 88
Total	7,198	6,552	249	239	158
Total, all timber	6,830,206	2,530,341	261,056	2,881,978	1,156,831

^aIncludes cull sections in the saw-log portion.

Table 31. -- Number of all live trees on commercial forest land, by species and diameter class, Northern Coastal Plain of North Carolina, 1984

	: : All	:			I	Diameter c	lass (inch	es at brea	st height)				
Species	classes	1.0-	3.0- 4.9	5.0- 6.9	7.0- 8.9	9.0- 10.9	11.0- 12.9	13.0- 14.9	15.0- 16.9	17.0- 18.9	19.0- 20.9	21.0- 28.9	29.0 and larger
				-		Thou	sand tree	s	~				
Softwood:													
Longleaf pine	4,424	880	328	890	551	616	490	316	269	73	11		
Slash pine	1,861	155		535	582	483	84	22					
Shortleaf pine	4,960	1,621	504	460	810	923	342	244	44	12			
Loblolly pine	491,508	171,923	123,639	91,234	48,632	20,487	13,185	9,522	6,305	3,673	1,626	1,258	24
Pond pine	121,922	43,176	29,389	17,994	14,379	9,073	4,773	1,944	644	357	140	53	
Baldcypress	13,825	5,391	1,819	1,196	832	1.183	571	744	584	449	342	592	122
Pondcypress	1,893	470		322	489	98	47	129	145	105	37	29	22
Cedars	23,713	12,151	5,863	2,554	1,788	598	414	171	84	66	8	16	
Total softwoods	664,106	235,767	161,542	115,185	68,063	33,461	19,906	13,092	8,075	4,735	2,164	1,948	168
Hardwood:													
Select white oaks	82,827	43,090	15,496	8,027	5,514	3,879	2,481	1,690	1,062	812	329	382	
Select red oaks	13,403	8,553	2,079	312	701	426	403	227	230	. 165	83		65
Chestnut oak	335	335	2,0,,	312	701	720	403	221	230	, 165	0.3 	171	53
Other white oaks	20,819	11,409	3,920	1,743	1,529	657	512	410	252	185	37	138	
Other red oaks	147,636	90,305	25,927	11,989	8.124	4,834	2,618	1,506	740	849	264	422	27 58
Hickory	24,646	17,574	2,766	1,642	1,140	634	258	212	91	137	106	422 82	20 4
Soft maple	661,510	494 213	99,289	30,304	16,456	9,145	5,065	3,123	1,868	853	574	577	43
Beech	11,822	6,654	2,276	391	696	512	251	349	344	92	110	129	18
Sweetgum	505,038	355,786	78,758	34,758	13,802	8,457	6,078	3,290	2,034	1,048	520	469	38
Tupelo and blackgum	338,763	198,539	59,781	28,782	15,684	11,517	8,513	5,862	4,060	2,237	1,610	1,685	493
Ash	92,719	61,819	18,204	6,175	2,967	1,419	1,014	495	315	159	70	79	493
Cottonwood	9,394	4.344	2,608	1,024	573	350	132	172	90	48	19	34	
Yellow-poplar	57,158	33,570	8,006	3,867	3.066	2,360	1,809	1,666	1,141	577	571	486	39
Bay and magnolia	170,043	130,281	27,493	6,825	3,737	921	315	330	58	44	17	22	57
Black cherry	14,006	11,030	1,826	757	228	51	58	21	28			7	
Black walnut	98					38	26		16	13		5	
Sycamore	3,326	1,816	1,062	168		110	33	23		25		82	7
Elm	23,169	12,966	5,516	1,486	841	825	773	319	186	96	79	74	8
Other eastern hardwoods		359,160	82,468	22,835	8,080	2,033	1,081	343	259	80	48	14	~-
Total hardwoods	2,653,113	1,841,444	437,475	161,085	83,138	48,168	31,420	20,038	12,774	7,420	4,437	4,858	856
All species	3,317,219	2,077,211	599,017	276,270	151,201	81,629	51,326	33,130	20,849	12,155	6,601	6,806	1,024

Table 32.--Number of growing-stock trees on commercial forest land, by species and diameter class, Northern Coastal Plain of North Carolina, 1984

; ;		:			I	lameter c	lass (inche	es at brea.	st height)				
Species :	All classes	1.0-	3.0- 4.9	5.0-	7.0- 8.9	9.0- 10.9	11.0- 12.9	13.0- 14.9	15.0- 16.9	17.0- 18.9	19.0- 20.9	21.0- 28.9	29.0 and larger
		_ 				Thou	sand trees	3					
Softwood:													
Longleaf pine	4,248	704	328	890	551	616	490	316	269	73	11		
Slash pine	1,706			535	582	483	84	22					
Shortleaf pine	4,805	1,466	504	460	810	923	342	244	44	12			
Loblolly pine	477,420	160,823	121,792	90,645	48,365	20,382	13,041	9,486	6,305	3,673	1,626	1,258	24
Pond pine	90.048	18,649	23,974	16,733	13,785	9,073	4,716	1,924	644	357	140	53	
Baldcypress	12,324	4,286	1.819	1,196	763	1,123	547	676	541	415	342	542	74
Pondcypress	1,675	319	-,	322	489	98	47	129	91	105	37	24	14
Cedars	22,512	11,077	5,863	2,554	1,788	515	414	154	69	54	8	16	
Total softwoods	614,738	197,324	154,280	113,335	67,133	33,213	19,681	12,951	7,963	4,689	2,164	1,893	112
ardwood:													
Select white oaks	66,664	30,109	13,666	7,423	4,990	3,803	2,481	1,600	1,033	812	329	358	60
Select red oaks	12,381	7,734	1,920	312	701	426	403	227	230	129	83	171	45
Chestnut oak	174	174	-,,,==										
Other white paks	14,708	6,953	2,771	1,528	1,433	622	432	368	227	173	37	138	26
Other red oaks	120,221	69,206	22,057	10,756	7,463	4,527	2,540	1,468	705	838	245	381	35
Hickory	19,507	13,012	2,437	1,555	1,140	575	205	195	75	137	97	75	4
Soft maple	390,908	263,699	72,846	23,556	13,640	7,700	3,817	2,616	1,512	689	468	346	19
Beech	8,277	3,985	1,765	391	634	435	226	289	299	81	93	72	7
Sweetgum	376,657	244,959	66,653	31,770	12,540	7,922	5,911	3,091	1,902	991	457	427	34
Tupelo and blackgum	215,663	97,725	47,540	24,741	13,760	10,281	7,819	5,407	3,592	2,031	1,262	1,302	203
Ash	41,921	24,540	8,611	3,950	2,221	840	798	415	299	120	70	57	
Cottonwood	7,957	2,907	2,608	1,024	573	350	132	172	90	48	19	34	
Yellow-poplar	51,956	29,663	7,142	3,709	2,882	2,320	1,785	1,666	1,141	577	561	481	29
Bay and magnolia		59,480	16,181	4,543	3,189	593	222	249	44	34	17	22	
Black cherry	84,574			578	119	51	58	21	28				
Black walnut	7,036 98	4,810	1,371	3/6		38	26		16	13		5	
Sycamore		1,460	1,062	168		110	33			25		66	5
Elm	2,929	6,426	4.563	1,290	662	752	704	279	186	85	70	69	
Other eastern hardwoods	15,086 63,617	42,264	12,562	4,397	2,476	740	650	279	201	58	, 28	14	
Total hardwoods	1,500,334	909,106	285,755	121,691	68,423	42,085	28,242	18,290	11,580	6,841	3,836	4,018	467
All species	2,115,072	1.106.430	440,035	235,026	135,556	75,298	47,923	31,241	19,543	11,530	6,000	5,911	579

Table 33.--Merchantable volume of all live trees on commercial forest land, by species and diameter class, Northern Coastal Plain of North Carolina, 1984

					Diameter c	class (inches	s at breast	height)			
Species	classes:	5.0- 6.9	7.0- 8.9	9.0- 10.9	11.0- 12.9	13.0-	15.0- 16.9	17.0- 18.9	19.0-	21.0-28.9	29.0 and larger
4	1		1 1 1 1 .	1 1	Thousand	nd cubic fee	et			1 1	1 1 1 1
Soltwood: Lonelesf nine	73 664	1 6.31	, 11,	7 1.6	707 0	710		c	L		
Clash size	#00 fc#	13461	21/67	0,140	\$55°	915.0	10,158	3,850	569		}
staut pine	12,203	1,526	3,966	4,968	1,335	468	1	1	ł	1	1
Shortlear pine	34,554	1,332	5,143	696'6	7,121	8,396	2,100	493	ľ	1	1
Loblolly pine	2,029,860	213,841	286,807	244,731	268,340	292,983	271,296	205,113	116,182	126,158	604.4
Pond pine	403,448	41,699	86,301	96,737	79,504	47,802	22,028	16.914	8,306	4,157	
Baldcypress	186,182	3,951	6,797	14,700	10,500	19,954	20,875	20,735	20,520	50,491	17.659
Pondcypress	28,703	804	2,917	1,409	1,059	3,786	3,861	4,808	2,388	20,791	088.4
Cedars	45,922	9,197	12,624	6,768	7,103	3,597	2,423	2,771	547	892	}
Total softwoods	2,784,596	273,771	407,267	386,428	384,456	385,300	332,741	254,684	148,512	184,489	26,948
Hardwood:											
Select white oaks	327.848	20.347	31,316	41.648	46.134	42,744	40 021	40 696	901.00	200 65	12 220
Select red oaks	73,701	834	4.557	5,205	6. 796	6.472	720 6	7000	20,102	14,000	13,730
Chestnut oak	. 1		<u>;</u>		2 1	+ +	5	1706	100	10,000	11,400
Other white cake	75 140	909 7	7 067	320 3	0 000	9		1 7	1 6	! !	1 3
Other red only	041 676	100,400	10667	0,00	6,537	9,019	/00,0	1/5'9	2,389	12,18/	6,956
District ten oaks	247,923	30,151	45,622	50,275	45, 237	39,001	26,434	39,742	16,420	38,633	11,408
ALCHOIN S-61	52,063	3,362	0,034	6, 742	5,118	5,246	3,091	6,914	7,439	7,359	758
Sort maple	614,879	82,148	100,114	101,293	86,241	76,143	61,090	34,820	29,781	38,174	5,075
Beech	55,515	1,184	4,506	5,059	4,276	8,082	10,716	3,998	5,615	10,296	1, 783
Sweetgum	068,890	76,578	81,686	101,722	119,143	93,553	81,580	54,781	33,401	40,518	6,928
Tupelo and blackgum	1,064,933	80,365	98,030	126,079	144,868	144,552	130,684	90,566	78,592	116,148	55,049
Ash	110,963	15,468	18,144	15,490	17,336	12,821	12,744	7,769	4,436	6,562	193
Cottonwood	26,456	2,722	2,879	4,073	2,471	4,639	3,496	2,114	1,006	3,056	1
Yellow-poplar	308,800	10,431	19,182	28,163	35,789	48,870	46,244	29,785	36,717	46,477	7,142
Bay and magnolia	63,069	16,542	21,341	8,435	4,639	6,778	1,708	1,449	695	1,482	
Black cherry	6,141	1,496	1,136	643	789	559	1,090	1	1	428	1
Black walnut	2,738	l	1	602	420	1	715	492	ľ	509	ŀ
Sycamore	10,540	844	ŀ	1,236	537	348	ł	1,089	1	5,765	721
FI 13	66,047	3,748	5,184	9,380	14,140	8,356	7,049	4,926	5,355	6,831	1,078
Other eastern hardwood	146,166	51,673	37,635	17,585	16,384	6,883	8,371	3,757	2,357	1,521	-
Total hardwoods	4,038,412	402,802	485,933	529,706	556,657	514,626	452,384	339,093	249,876	385,050	122,285
All species	6,823,008	676,573	893,200	916,134	941,113	899,926	785,125	593,777	398,388	569,539	149.233

Table 34. --Volume of growing stock on commercial forest land, by species and diameter class, Northern Coastal Plain of North Carolina, 1984

Species											
•	All classes	5.0-	7.0- :	9.0-	11.0- 112.9	13.0- 1	15.0- 1	17.0- : 18.9 :	19.0- : 20.9 :	21.0- : 28.9	29.0 and larger
	1 1	1 1		1 1 1 1	Thousand	nd cubic feet	et	1 1 1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 1 1
,							•	6		1	;
Softwood:	43.664	1.421	2,712	7,146	6,494	8,314	10,158	3,850	690	 	;
Longlest pine	10,001	1 526	3,966	4.968	1,335	7468	!	1 5			ļ
Slash pine	12,207	1 2000	5 17.3	9,969	7 121	8,396	2,100	493			007
Shortleaf pine	34,004	1,532	105	37.3 708	266 008	292,027	271, 296	205,113		126,158	4,409
Loblolly pine	2,022,917	212,285	107,007	207,127	78 731	47,571	22.028	16,914		4,157	i :
Dond mine	397,706	39,759	83,505	101606	011	18 831	19.864	20,263	20,520	47,978	13,248
	175,934	3,951	6,623	14,040	10,110	762 6	2 075	808.7		2,411	3,83
Pondcypress	26,396	804	2,917	1,409	7,103	3,380	2,287	2,497		892	i
Cedars	1/0,44	2,127	120 677								707 10
Total softwoods	2,758,111	270,275	403,219	384,633	380,961	382,773	330,708	253,938	148,512	181,290	064117
1											
Hardwood:			170 00	080 07	78 1 37	41.411	39,156	40,696	20,108	31,476	12,948
Select white oaks	319,166	19,296	106,82	40,300	6 796	6.472	8,984	6,758	5,565	16,008	10,66
Select red oaks	71,843	834	14,001	2,203	26.60	: 1	1	!	1	1	1
Chestrut Oak	1	!	1 ;	1 1	766 -	8 643	7.619	8.017	2,389	12,187	6,299
Other third oaks	69,913	4,360	7,397	7716	07761	20,00	25, 56	191 96	15,596	36,432	8,38
Other wilte ones	325,806	27,828	42,379	48,060	44,160	20110	27,40	419	6.754	6,939	758
Orner ted dans	49,236	3,202	6,634	6,142	4,116	7,129	53 758	208	26.758	28,110	2.93
Hickory	520,571	66,311	87,304	88,995	68,869	050,10	07,170	20,000	501	6.697	1,08
Soft maple	46.815	1,184	4,231	4,271	3,768	1,119	404.0	23 055	201,05	38,217	6,18
Beech	655-913	71,076	75,141	96,713	117,147	674,68	160,074	72,027	10,000	901.80	31,971
Sweetgum	900 750	71,273	88,898	115,199	136,067	138,024	120,075	166,00	267	5 277	. 1
Tupelo and blackgum	01.068	10,994	14,509	10,407	15,365	12,113	12,242	6,625	4,430	777	1
Ash	357 76	2,722	2,879	4,073	2,471	4,639	3,496	2,114	1,000	0,000	7/2
Cottonwood	004,02	0 061	18,283	27,686	35,451	48,870	46,244	29,785	30,412	40,172	21
Yellow-poplar	304,012	11,000	17 769	5,769	3,770	5,694	1,578	1,211	695	1,482	
Bay and magnolia	48,991	11,023	(0/6/1	663	789	559	1,090	l	!	1	ı
Black cherry	4,837	1,101	000	100	7.50	}	715	492	!	209	1 !
Black walnut	2,738	ł	ì	700	75.7	ł	1	1,089	!	4,988	557
	9,251	977	ł	1,230	7000	777	670 4	677.7	4.727	6,485	•
aycamot e	59,423	3,248	4,287	8,650	13,064	1011	7 101	2 7 18	1,781	1,521	•
Elm Other eastern hardwoods		11,094	11,954	7,629	11,104	2,040	1014/				
•	3 623 077	316,351	415.838	478,037	515,282	487,118	424,202	323,472	231,577	343,664	8/,236
Total hardwoods	3,042,000	7.5.7	,						000	525 260	109.032
	8 381 188	586.626	819,057	862,670	896,243	869,891	754,910	577,410	380,089	353,500	201

A CONTRACTOR OF THE PROPERTY O

Table 35.--Volume of sawtimber on commercial forest land, by species and diameter class, Northern Coastal Plain of North Carolina, 1984

				Diameter	class (inche	s at breast	height)		
Species	All classes	9.0- 10.9	11.0- 12.9	13.0- 14.9	15.0- 16.9	17.0- 18.9	19.0- 20.9	21.0- 28.9	29.0 and larger
				Thous	and board fe	et			
Softwood:									
Longleaf pine	205,083	29,155	46,049	44,120	58,681	23,488	3,590		
Slash pine	27,262	18,912	5,944	2,406					
Shortleaf pine	126,877	35,515	32,818	43,731	11,923	2,890			
Loblolly pine	7,926,655	870,547	1,190,363	1,503,513	1,525,220	1,229,666	732,383	842,867	32,096
Pond pine	1,262,799	364,627	358,861	241,472	121,688	98,776	50,830	26,545	
Baldcypress	838,581	44,538	38,196	83,365	95,251	104,182	110,996	277,933	84,120
Pondcypress	118,266	4,861	4,390	17,146	14,287	24,875	13,010	14,233	25,464
Cedars	108,902	23,900	31,929	17,132	12,620	14,472	3,335	5,514	
Total softwoods	10,614,425	1,392,055	1,708,550	1,952,885	1,839,670	1,498,349	914,144	1,167,092	141,680
Hardwood:									
Select white oaks	1,050,441		151,003	164,937	175,557	195,334	102,889	177.929	82,792
Select red oaks	323,375	~-	22,117	27,095	41,054	34,584	29,313	94,886	74,326
Chestnut oak				,			,		74,520
Other white oaks	254,235		26,549	36,318	35,142	39,326	12,254	66,941	37,705
Other red oaks	991,165		162,171	163,476	119,382	197,550	83,337	210,414	54,835
Hickory	159,591		14,307	20,822	11,792	33,845	35,003	39,142	4,680
Soft maple	1,133,762		223,727	257,946	222,065	140,576	128,308	144,520	16,620
Beech	146,203		13,632	27,291	36,919	14,850	21,056	27,794	4,661
Sweetgum	1,899,793		417,779	382,875	379,019	278,589	171,351	229,078	41,102
Tupelo and blackgum	2,976,536		422,334	530,302	517,923	406,272	351,953	544,013	203,739
Ash	230,479		49,900	46,386	53,203	30,925	21,994	28,071	203,739
Cottonwood	76,775		8,632	19,088	16,068	10,425	5,270	17,292	
Yellow-poplar	1,258,945		127,916	211,910	226,562	158,508	207,021	286,694	40,334
Bay and magnolia	57,097		12,786	21,473	6,783	5,307	3,255	7,493	40,234
Black cherry	9,898		2,778	2,337	4,783	J, 307	J, 200	7,475	
Black walnut	8,300		1,444	2,557	2,699	1,926		2,231	
Sycamore	35,989		1,668		2,099	4,961	 	26,143	3,217
Elm	179,750		44,951	29,085	29,935	20,137	22,546	33,096	3,217
Other eastern hardwoods	123,691		38,347	23,218	31,539	13,231	9,336	8,020	
Total hardwoods	10,916,025		1,742,041	1,964,559	1,910,425	1,586,346	1,204,886	1,943,757	564,011
All species	21,530,450	1,392,055	3,450,591	3,917,444	3,750,095	3,084,695	2,119,030	3,110,849	705,691

Table 36.--Volume of sawtimber on commercial forest land, by species, size class, and log grade, Northern Coastal Plain of North Carolina, 1984

:			_	ΙĮΨ	size clas	898	:		0.dl assiT	d.d.b sədəni	bns .	ind larger	·
Species		<u>:</u>			Rog 8	әрва	:	: 11A		Log g	rade		
:	grades	: :	t	<u>:</u>		٤ :	7	: səbaıg	ī	7	:	ξ	7
		- - .	- -				d bnasuodT -	- Jeel biso	- -	 -	- -		<u> </u>
: p													•
asaniq w	49'875'6		72.822,34		L77 861 1	788 978 5	(q)	£49,097,4	619'819'1	588,819		171'625'7	 (q)
ss ^C eastern softwoods ^C	.78 ' 956		73°186		808,81 442 442	80£ 499 797 857		176'SE 15E'79L	805,912 214,018	787,01 245,626	7	157,2 880,191	-
ſs	10,614,42	7 9	7,768,07,2		Z69'769'1	759'151'9		566,095,2	1,852,045	016,886	7,5	086,617,	-
p ^{:p}													
t white and red oaks	18,575,1	ç	367.658	,	111,242	888,052	241,253	799'800'I	867'658	188,802	ε	338,342	155'05
white and red oaks	1 7762 40	(760,89	1	302,090	254,767	059 LSI	9881958	260,893	741,927		261,722	75'26
ry	65*65T		 		907'IE	72,237	609'81	797 777	666,76	ZEI'9Z		 562 ' L7	 :69'ET
<i>ឱកាយ</i> យទ៤ រុទ	64,668,1		55L'LOE		006,754	651'166	576,581	661'660'1	651,70£	944,282	7	189 907	76'86
walnut, and black cherry	.49 877		የተነተ		212 48	116,002	160,7	768'571	57E, 6E	917'55		771'87	16'7
w-poplar	1,258,94		.02 226 957 858		785 LLZ	957'7/6'T 0/2'877	574 ⁶⁸ 7 589 ⁴ 761	611'616	501,776 524,825	ታታ0'988 ፖታታ ' ኗ9፤	-	770'988 791'877	302,533 305,533
hardwoods	7,729,80		04,476		616,782,1								
Įe	10,916,01	7 9	2,343,080	====	887,599,2	677,756,4	1,271,878	\$75 ⁴ 607 ⁴ /	2,341,023	775 678 T	717	0/6,862,2	87,287
eato	57.052.19	5 (2111115	1	586'158'5	££4,687,01	1,271,878	15,770,360	890'661'7	757'889' 7	6'7	058195617	87'784

Based on "Southern Pine Log Grades for Yard and Structural Lumber," Research Paper SE-39, published by the Southeastern Forest Experiment Station

in 1968. Mot applicable.

Not applicable.

Chased on "Sawlog Grades for Eastern White Pine," Research Paper NE-205, published by the Northeastern Forest Experiment Station in 1971.

Dased on "A Guide to Hardwood Log Grading (revised)," General Technical Report NE-1, published by the Northeastern Forest Experiment Station in

Table 37.--Cubic volume in the merchantable saw-log portion of sawtimber trees, by species and diameter class, Northern Coastal Plain of North Carolina, 1984

:				Diameter c	lass (inches	at breast he	eight)		
Species :	All classes	9.0- 10.9	11.0-	13.0- 14.9	15.0- 16.9	17.0- 18.9	19.0-	21.0- 28.9	29.0 and larger
				Thousar	nd cubic feet				
Softwood:									
Longleaf pine	36,483	6,117	8,685	7,739	9,700	3,696	546		
Slash pine	5,511	3,968	1,121	422					
Shortleaf pine	23,740	7,451	6,189	7,670	1,971	459			
Loblolly pine	1,355,129	182,641	224,502	263,716	252,119	195,271	111,535	121,112	4,233
Pond pine	234,012	76,499	67,681	42,354	20,115	15,686	7,746	3,931	
Baldcypress	146,569	10,529	8,048	16,214	17,098	17,711	18,614	45,637	12,718
Pondcypress	20,385	1,149	925	3,335	2,565	4,229	2,182	2,315	3,685
Cedars	20,896	5,184	6,514	3,245	2,196	2,397	525	835	
Total softwoods	1,842,725	293,538	323,665	344,695	305,764	239,449	141,148	173,830	20,636
Hardwood:									
Select white oaks	170,501		28,238	28,798	28,809	30,765	15,721	26,298	11,872
Select red oaks	49,791		4,136	4,731	6,737	5,447	4,479	14,024	10,237
Chestnut oak					~-				
Other white oaks	40,440		4,965	6,341	5,767	6,194	1,872	9,894	5,407
Other red oaks	161,270		30,326	28,543	19,591	31,114	12,734	31,099	7,863
Hickory	25,381		2,675	3,636	1,935	5,331	5,348	5,785	671
Soft maple	191,821		42,083	45,631	37,129	22,562	20,093	21,953	2,370
Beech	23,704		2,549	4,765	6,058	2,339	3,217	4,108	668
Sweetgum	321,893		78,584	67,731	63,372	44,714	26,834	34,797	5,861
Tupelo and blackgum	533,205		88,986	103,144	92,967	69,066	59,023	89,327	30,692
Ash	38,542		9,331	8,099	8,731	4,871	3,361	4,149	
Cottonwood	12,813		1,624	3,377	2,687	1,673	825	2,627	
Yellow-poplar	206,356		24,061	37,487	37,881	25,441	32,419	43,549	5,518
Bay and magnolia	9,838		2,405	3,799	1,134	852	510	1,138	
Black cherry	1,736		523	413	800			,	
Black walnut	1,346		270		443	303		330	
Sycamore	5,540		314			796		3,971	459
Eĺm	30,395		8,455	5,145	5,005	3,232	3,531	5,027	
Other eastern hardwoods	21,295		7,193	4,089	5,235	2,111	1,462	1,205	
Total hardwoods	1,845,867		336,718	355,729	324,281	256,811	191,429	299,281	81,618
All species	3,688,592	293,538	660,383	700,424	630,045	496,260	332,577	473,111	102,254

Table 38.--Total volume of all live trees on commercial forest land, by species and diameter class, Northern Coastal Plain of North Carolina, 1984

					Q	Diameter cl	class (inches	s at breast	st height)				
Species	All	1.0-	3.0- :	5.0- :	7.0- 8	9.0-	11.0-	13.0-	15.0-	17.0-	19.0-	21.0-	29.0 and larger
	1 1		1	1 1 1	1 1	Thousand	cubic	feet	 	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 1 1 1	1 1	1 1 1
Softwood:											1		
Longlesf bine	50,949	215	522	2,111	3,316	8,265	10,790	9,386	11,404	4,305	635	}	!
Slash pine	14.547	28	ł	2,007	4, 735	5,729	1,521	527	1	1	ł	l i	!
OT-10-10-10-10-10-10-10-10-10-10-10-10-10-	41.221	678	575	1.816	6.226	11,636	8,152	9,536	2,374	557	1	i i	
Toblott mine	2 563 789	38 655	130.177	303,987	350,748	285,897	307,701	332,645	306,373	230,828	130,493	141,361	4,924
Bond wing	513 437	7.540	26,330	56.373	104 354	113,321	91,912	54,910	25,208	19,296	9,463	4,730	!
Raldovarace	232,979	1 732	2,648	6,142	8, 735	18,244	12,868	24,375	25,302	25,082	24,646	60,795	22,410
Pondcypress	37,696	131	; ;	1,401	4 087	1,831	1,352	4,794	5,014	6,031	2,985	3,538	6,532
Cedars	66,536	2,720	8,205	11,965	15,253	8,062	8,324	4,236	2,861	3,23/	639	1,034	1
Total softwoods	3,521,154	51,370	168,457	385,802	497,454	452,985	442,620	440,409	378,536	289,336	168,861	211,458	33,866
Bardwood:	086 377	10 436	20.426	79.987	41.190	52.874	55,183	53,314	49,614	50,254	24,833	41,087	17,182
Select White Caxs	96.079	2.096	2.575	1,146	5.851	6,550	8,453	7,969	11,096	9,721	6,855	19,638	14,129
Chapter cab	22	22	1	1		!	1	!	}	1	}	1	1
Other attached	103 008	1 991	4.089	7.216	10.622	7.842	10,586	12,054	10,498	10,435	2,966	15,086	8,623
Orner Wille Dans	900	201 00	017 50	687 67	61.828	65,182	57.478	49,030	32,997	49,332	20,495	48,091	14,600
Other red oaks	304,036	22,103	21,417	5 189	8.704	8.492	6,312	6,430	3,773	8,365	8,979	8,953	606
Hickory	0/4,2/	700,11	311,0	119 155	127,730	124.626	104.878	92,108	73,602	41,996	35,951	46,703	6,335
Soft maple	1,040,070	114,000	172,100	1 739	5 893	6.416	5,330	10,065	13,257	4,972	7,022	12,867	2,369
Beech	72, 100 1	610,1	00 to	114.118	101,533	120,677		107,672	93,491	62,541	38,130	46,186	7,920
Sweetgum m	1,511,001	4,0,4,	01 740	119.862	127,915	159,306		179,614	162,727	112,967	98,842	147,127	75,304
inpeto and plackgum	175.843	16.471	24,592	22,316	22,398	18,377	20,323	14,851	14,611	8,918	5,084	7,635	267
Cottoniood	36.795	1,394	3,373	3,868	3,629	4,899		5,438	4,079	2,470	1,187	3,542	1
Vol. 1 August 2001	373.472	7,613	11,496	14,153	22,923	32,630		52,605	52,377	33,667	41,464	52,451	8,122
New ord Head of	151,904	31,793	37,632	24,605	27,188	10,412		8,175	2,072	1,758	843	1,743	ļ
Black shows	14.014	3,664	2,615	2,155	1,466	772	927	099	1,263	1	1	492	
black cheffy	1 282	; i	1	1		734	206	}	852	584	}	909	}
DISCK WALNUT	14 080	559	467	1.077	1	1,466	637	440	1	1,270	!	6,768	896
bycamore v1=	90.456	2.664	7.976	5,415	6.477	11,360	16,852	9,886	8,299	5,785	6,260	8,035	1,447
Other eastern hardwoods	369,241	80,742	89,514	78,290	50,327	22,395	20,179	8,418	10,120	4,570	2,865	1,821	;
	6.080.162	432,431	587,767	597,774	625,674	655,010	676,734	621,729	544,728	409,605	301,776	468,831	158,103
				763 600	1 901 501	1 103 005	1 110 357.	1 062 138	473 264	176-869	470.637	680,289	191,969
All species	9,601,316	483,801	756,224	983,576	1,123,120	1,107,993	983,576 1,123,128 1,107,990 1,119,004 1,002,100	1,002,130	123,527	1			

Table 39. --Green weight of forest biomass on commercial forest land, by species and diameter class, Northern Coastal Plain of North Carolina, 1984

Species						Diameter	class (inches	hes at breast	ast height)	•			
	classes	1.0-	3.0-	5.0-	7.0-	9.0-	11.0-	13.0-	15.0-	17.0-	19.0-	21.0-	29.0 and larger
		1 1 1		1 1	1 1	- Bundred	thousand p	spunod	1 1 1	1 1	1 1 1		1 1
Softwood:													
Longleaf pine	39,967	181	438	1,437	2,622	6,639	8,596	7,375	8,920	3.271	488	į	}
Slash pine	11,703	16	!	1,533	3,788	4,746	1,208	412	!		1	}	ļ
Shortleaf pine	28,925	194	347	1,048	4.275	8,444	5,873	6.686	1.657	401	į	i	;
pine	1,829,199	19,992	77,091	210,873	258,405	214,074	227,999	241,659	220,163	164.736	92,177	98.662	3.368
	363,426	3,837	15,145	38,036	75,715	82,973	67,318	39,340	17,882	13,441	6.516	3 223	2
Baldcypress	176,626	939	1,654	2,294	5,145	12,629	9,366	18,646	19,225	19.248	18,544	46.973	21,963
Pondcypress	29,820	69		573	2,274	1,211	950	3.500	4,202	4.601	2,242	3,013	7,135
Cedars	51,030	1,984	5,365	8,372	11,451	6,354	6,666	3,778	2,673	2,893	595	929	
Total softwoods	2,530,696	27,212	100,040	264,166	363,675	337,070	327,976	321,396	274,722	208,591	120,582	152,800	32,466
Hardwood:													
Select white oaks	373,853	8,362	15,123	20,419	32,343	43,853	48.099	46.736	42.677	42.542	21.366	36.473	15.860
Select red oaks	87,501	1,578	1,909	806	4,488	5,443	7,087	6,905	9,793	9,294	6.216	18.785	15,197
Chestnut oak	23	23	!	}		¦		}			-	1	1
Other white oaks	88,368	2,208	2,917	5,227	8,504	6,560	9,004	10,623	9,470	087.6	2.678	13.784	7.913
Other red oaks	418,373	18,693	26,849	31,700	49,050	54,449	48,894	41,955	28,257	42,724	17,434	42,022	16.346
Rickory	62,048	2,839	2,711	3,828	6,672	6,855	4,996	5,554	3,326	7,409	8,016	8,953	889
Soft maple	790, 196	88,620	106,508	78,548	94,993	95,237	84,948	74,645	58,988	33,991	28,993	39,551	5,774
Beech	65,902	952	2,313	1,070	4,371	5,297	4,612	9,216	12,058	4,508	6,631	12,112	2,762
	728,894	49,291	64,201	72,832	71,830	89,375	105,018	82,222	72,314	48,443	30,024	36,777	6,567
Tupelo and blackgum	1,109,404	36,853	58,791	57,280	75,490	102,476	133,064	134,979	126,419	89,579	82,177	127,567	84,729
Ash	115,191	10,353	15,639	15,361	15,671	12,579	14,133	9,576	8,705	5,260	2,907	4,686	321
Cottonwood	25,568	965	2,315	2,125	2,312	3,259	2,107	3,996	2,981	1,903	980	2,625	1
Yellow-poplar	268,472	2,494	7,781	8,205	15,497	23,216	29,636	40,315	37,913	24,486	30,477	38,923	6,529
Bay and magnolia	93,710	19,604	22,565	12,597	16,646	7,167	4,405	690,9	1,540	1,373	654	1,090	!
Black cherry	8,621	1,725	1,658	1,305	1,110	472	615	484	858	!	!	394	}
Black walnut	3,160	1	}	1	;	610	511	1	785	594	!	099	}
Sycamore	10,777	386	677	549	1	1,038	492	462	1	939	ł	5,317	917
Elm	61,356	1,942	5,539	3,021	4,118	7,496	11,390	6,727	5,575	3,890	4,175	5,681	1,802
Other eastern hardwoods	267,398	63, 136	70,276	45,549	33,259	15,087	17,014	7,384	8,672	3,430	2,243	1,348	
Total hardwoods 4	4,579,415	313,024	407,772	360,422	436,354	480,469	526,025	487,848	430,331	329,845	244,971	396,748	165,606
All species 7	7,110,111	340,236	507,812	624,588	800,029	817,539	854.001	809.244	705.053	538.436	365,553	849.548	198.072

Table 40.--Net annual growth and removals of all live timber and growing stock on commercial forest land, by species, Northern Coastal Plain of North Carolina, 1983

:	All liv	e timber ^a	Growin	ng stock
Species :	Net annual growth	Annual timber removals	Net annual growth	Annual timber removals
		Thousand	cubic feet	
Softwood:				
Yellow pines	122,507	123,863	122,248	123,167
Eastern white pine				
Spruce and fir		~		
Cypress	5,274	1,733	5,219	1,684
Other eastern softwoods	2,016	4,599	2,009	4,599
Total softwoods	129,797	130,195	129,476	129,450
Hardwood:				
Select white and red oaks	16,041	11,966	15,892	11,535
Other white and red oaks	17,334	17,670	16,987	16,324
Hickory	1,564	668	1,528	668
Yellow birch		~		
Hard maple		62		62
Sweetgum	27,708	20,966	27,104	19,729
Ash, walnut, and black cherry	3,696	1,314	3,355	1,154
Yellow-poplar	17,370	8,812	17,271	8,547
Tupelo and blackgum	21,908	14,421	21,163	11,563
Bay and magnolia	3,169	1,795	2,865	1,076
Other eastern hardwoods	37,736	19,184	34,465	13,865
Total hardwoods	146,526	96,858	140,630	84,523
All species	276,323	227,053	270,106	213,973

^aMerchantable portion only.

Table 41.--Net annual growth and removals of sawtimber on commercial forest land, by species, Northern Coastal Plain of North Carolina, 1983

Species	Net annual growth	Annual timber removals
	Thousand l	board feet
Softwood:		
Yellow pines	503,622	542,083
Eastern white pine	, - -	´
Spruce and fir		
Cypress	28,045	8,393
Other eastern softwoods	7,178	14,739
Total softwoods	538,845	565,215
Hardwood:		
Select white and red oaks	65,587	38,191
Other white and red oaks	73,157	54,353
Hickory	5,958	839
Yellow birch		
Hard maple		
Sweetgum	100,591	61,763
Ash, walnut, and black cherry	10,900	2,803
Yellow-poplar	88,863	37,760
Tupelo and blackgum	89,868	40,586
Bay and magnolia	3,933	967
Other eastern hardwoods	98,031	33,143
Total hardwoods	536,888	270,405
All species	1,075,733	835,620

Table 42.--Annual removals of growing stock on commercial forest land, by species and diameter class, Northern Coastal Plain of North Carolina, 1983

				Did	Diameter cla	class (inches	(inches at breast height)	t height)			
Species	All	5.0-	7.0-	9.01	11.0-	13.0- : 14.9	15.0-	17.0- : 18.9 :	19.0- i 20.9	21.0-	29.0 and larger
	1 1 1 1 1 1 1 1	1 1 1 1 1		1 1 1	- Thousand cubic	d cubic feet	et	1 1 1	1 1 1	 	t
Softwood:					,	,		1	r L	o o	
Yellow pines	123,167	5,870	13,597	13,626	17,824	19,610	18,818	16,747	7,518	8,960	160
Eastern white pine		1	•	¦	ì		1	ļ	ļ	¦	!
Spruce and fir	ł	!	!	!	1	}	1	1	ļ	!	1
Cypress	1,684	!	1	1	1	170	622	695	229	194	!
Other eastern softwoods	4,599	680	599	1,237	934	724	81	250	1	76	
Total softwoods	129,450	6,550	14,196	14,863	18,758	20,504	19,521	17,466	7,747	9,248	597
Hardwood:											
Select white and red oaks	11,535	619	1,479	1,430	1,511	1,881	1,538	866	816	1,281	114
Other white and red oaks	16,324	1,642	1,973	1,866	2,661	1,376	1,447	2,103	1,119	1,432	705
Hickory	899	121	151	241	ł	}	1	1	155	1	1
Yellow birch	1	}	1	}	}	1	1	1		}	1
Hard maple	62	62	ļ	1	;	!	1	1	ì	}	1 }
Sweetgum	19,729	2,239	3,622	2,054	1,976	2,240	2,246	1,567	1,543	2,106	136
Ash, walnut, and black cherry		156	81	189	471	104	153	!	1	;	1
Yellow-poplar	8,547	335	965	199	1,228	701	1,388	972	902	1,806	148
Tupelo and blackgum	11,563	965	1,156	1,232	1,765	1,471	1,785	1,638	915	677	128
Bay and magnolia	1,076	198	278	340	162	ŀ	86	;	¦	1	1
Other eastern hardwoods	13,865	1,543	2,850	2,061	1,783	1,194	1,538	1,222	683	591	400
Total hardwoods	84,523	7,411	12,186	10,080	11,557	8,967	10,193	8,368	5,937	8,193	1,631
A]] eneries	213 973	13 961	26.382	24.943	30,315	29,471	29,714	25,834	13,684	17,441	2,228
mit operate	2176017	-200									

Table 43.--Mortality of all live timber, growing stock, and saw-timber on commercial forest land, by species, Northern Coastal Plain of North Carolina, 1983

Species	All live timber	Growing stock	: Sawtimber
	Thousand o	cubic feet	Thousand board feet
Softwood:			
Yellow pines	26,203	25,797	71,624
Eastern white pine			
Spruce and fir			
Cypress	474	474	1,058
Other eastern softwoods	565	507	1,636
Total softwoods	27,242	26,778	74,318
Hardwood:			
Select white and red oaks	1,536	1,439	3,558
Other white and red oaks	3,473	2,844	6,421
Hickory	74		
Yellow birch			
Hard maple			
Sweetgum	2,186	1,418	3,377
Ash, walnut, and black cherry	904	207	
Yellow-poplar	535	535	1,097
Tupelo and blackgum	3,402	1,266	3,958
Bay and magnolia	797	527	574
Other eastern hardwoods	9,688	5,004	11,719
Total hardwoods	22,595	13,240	30,704
All species	49,837	40,018	105,022

^aMerchantable portion only.

Table 44.--Change in number of all live trees on commercial forest land, by species group, survey completion

: Species group :	,			Diameter c	class (inches		at breast height)		
and ;	All classes	1.0-2.9	3.0- 4.9	5.0-	7.0- 8.9	9.0- 10.9	11.0-	13.0- : 14.9	15.0 and larger
	1 1 1	1 1 1	1 1 1	Tho	Thousand trees		1 1 1	1 1 1 1	1 1 1
Yellow pine	704 153	216.215	155, 181	67E 76	57 260	37 586	20.815	13 082	15 075
1984	624,675	217,755	153,860	111,113	64,954	31,582	18,874	12,048	14,489
Change	-79,478	-97,157	-1,321	+16,771	+7,694	-1,004	-1,941	-1,934	-586
Other softwood									
1974	41,383	17,501	8,474	4,637	3,184	2,547	1,824	1,308	1,908
1984	39,431	18,012	7,682	4,072	3,109	1,879	1,032	1,044	2,601
Change	-1,952	+511	-792	-565	-75	-668	-792	-264	+693
Hardwood									
1974	3,169,994		490,974	170,199	88,763	49,507	29,598	18,146	24,600
1984	2,653,113	_	437,475	161,085	83,138	48,168	31,420	20,038	30,345
Change	-516,881		-53 490	-0 114	-5 625	1 330	1 822	1 900	7/2

Table 45.--Land area, by class, major forest type, and survey completion date, Northern Coastal Plain of North Carolina

7.1	:	Surv	7ey	completi	on d	ate	: Change
Land use class	: _:	1963	:	1974	:	1984	: 1974-1984 :
			-	<u>A</u>	cres		
Forest land:							
Commercial forest land:							
Pine and oak-pine types		2,540,198		2,238,97	9	1,951,370	-287,609
Hardwood types		1,707,683		1,871,40	0	1,809,967	-61,433
Total	_	4,247,881		4,110,37	9	3,761,337	-349,042
Noncommercial forest land:							
Productive-reserved		700		1,75	6	28,072	+26,316
Unproductive	_	38,164		34,17	2	31,567	-2,605
Total	=	38,864		35,92	8	59,639	+23,711
Nonforest land:							
Cropland		1,733,301		1,814,61	6	2,071,927	+257,311
Pasture and range		181,996		91,65		77,896	-13,760
Other	_	442,262		582,11		691,110	+109,000
Total	=	2,357,559		2,488,38	2	2,840,933	+352,551
All land	_	6,644,304		6,634,68	9	6,661,909	+27,220

Excludes all water areas.

Table 46.--Volume of sawtimber, growing stock, and all live timber on commercial forest land, by species group, survey completion date, and diameter class, Northern Coastal Plain of North Carolina

Species	: :				Diameter o	lass (inches	s at breast 1	neight)		
group and year	All classes	5.0- 6.9	7.0- 8.9	9.0- 10.9	11.0- 12.9	13.0- 14.9	15.0- 16.9	17.0- 18.9	19.0- 20.9	21.0 and larger
				SAWTIMBER	(in thousand	l board feet)			
Softwood	• • •	· · · · · · · · · · · · · · · · · · ·	 .							
1963	11,548,678			1,520,255	2,209,378	2,442,302	2,143,046	1,436,031	784,005	1,013,661
1974	10,902,517			1,461,457	1,943,507	2,281,079	2,076,974	1,423,570	789,077	926,853
1984	10,614,425			1,392,055	1,708,550	1,952,885	1,839,670	1,498,349	914,144	1,308,772
Hardwood										
1963	9,208,882			→	1,464,649	1,654,155	1,621,440	1,519,848	891,118	2,057,672
1974	9,174,743				1,641,678	1,778,952	1,593,885	1,323,232	916,873	1,920,123
1984	10,916,025				1,742,041	1,964,559	1,910,425	1,586,346	1,204,886	2,507,768
				GROWING STO	CK (in thous	and cubic fee	et)			
Softwood								-		
1963	2,838,853	214,969	319,191	420,076	492,615	478,695	385,232	243,395	127,377	157,303
1974	2,760,998	231,776	358,292	403,829	433,335	447,095	373,355	241,283	128,201	143,832
1984	2,758,111	270,275	403,219	384,633	380,961	382,773	330,708	253,938	148,512	203,092
Hardwood										
1963	3,113,967	289,697	375,914	410,016	433,200	410,155	360,000	309,920	171,270	353,795
1974	3,326,531	334,277	444,156	491,365	485,560	441,099	353,882	269,827	176,220	330,145
1984	3,623,077	316,351	415,838	478,037	515,282	487,118	424,202	323,472	231,577	431,200
				ALL LIVE TIM	BER ^b (in tho	usand cubic	feet)			
Softwood										·
1963	2,864,271	218,486	322,011	422,106	496,962	481,799	387,662	244,099	127,377	163,769
1974	2,785,649	235,570	361,455	405,786	437,159	449,985	375,712	242,001	128,201	149,780
1984	2,784,596	273,771	407,267	386,428	384,456	385,300	332,741	254,684	148,512	211,437
Hardwood								20/ 027	10/ 0/2	,,,
1963	3,473,155	368,753	438,730	454,421	467,932	433,299	383,915	324,927	184,842	416,336
1974	3,717,849	425,498	518,376	544,577	524,477	465,989	377,400	282,883	190,193	388,456
1984	4,038,412	402,802	485,933	529,706	556,657	514,626	452,384	339,093	249,876	507,335

^aTo provide a basis for valid comparisons, adjustments have been made to allow for differences in volume tables and sawtimber specifications used in previous surveys.

bMerchantable volume.

Davenport, Edgar L.

Forest statistics for the Northern Coastal Plain of North Carolina, 1984. Resour. Bull. SE-74. Asheville, NC: Department of Agriculture, Forest Service, Southeastern Forest Experiment Station; 1984. 50 p.

Since the fourth inventory of the forest resources of the Northern Coastal Plain of North Carolina in 1974, the area of commercial forest land decreased by 349,000 acres, or by 8 percent. Inventory of softwood growing stock remained stable at 2.8 billion cubic feet, while the volume of hardwood growing stock increased by 9 percent. Net annual growth of hardwood exceeded annual removals by 66 percent. Annual removals of pine growing stock exceeded net annual growth by more than 30 percent on nonindustrial private forest land, while net annual growth of pines exceeded removals by 49 percent on forest industry land.

KEYWORDS: Commercial forest land, forest ownership, timber volume, timber growth, timber removals, forest trends.

Davenport, Edgar L.

Forest statistics for the Northern Coastal Plain of North Carolina, 1984. Resour. Bull. SE-74. Asheville, NC: Department of Agriculture, Forest Service, Southeastern Forest Experiment Station; 1984. 50 p.

Since the fourth inventory of the forest resources of the Northern Coastal Plain of North Carolina in 1974, the area of commercial forest land decreased by 349,000 acres, or by 8 percent. Inventory of softwood growing stock remained stable at 2.8 billion cubic feet, while the volume of hardwood growing stock increased by 9 percent. Net annual growth of hardwood exceeded annual removals by 66 percent. Annual removals of pine growing stock exceeded net annual growth by more than 30 percent on nonindustrial private forest land, while net annual growth of pines exceeded removals by 49 percent on forest industry land.

KEYWORDS: Commercial forest land, forest ownership, timber volume, timber growth, timber removals, forest trends.



The Forest Service, U.S. Department of Agriculture, is dedicated to the principle of multiple use management of the Nation's forest resources for sustained yields of wood, water, forage, wildlife, and recreation. Through forestry research, cooperation with the States and private forest owners, and management of the National Forests and National Grasslands, it strives -as directed by Congress-to provide increasingly greater service to a growing Nation.

USDA policy does not permit discrimination because of race, color, national origin, sex or religion. Any person who believes he or she has been discriminated against in any USDA-related activity should write immediately to the Secretary of Agriculture, Washington, D.C. 20250.